

Copyright © 2022 by  
BACKEN & BACKEN ARCHITECTS

These documents are the property of Backen & Gillam Architects. Any unauthorized use without the written consent is prohibited by law.

Backen & Gillam Architects disclaims responsibility for the documents if used whole or in part at any other location.

CONTACTED LOS ANGELES SAINT HELENA AGRICULTURAL  
ARCHITECTURE | LEFFREVE | WELLS BROWN

1180 CAMPAGNA LANE  
WOODLAND, CALIFORNIA 95409

A0.00





# A0.10














ARCHITECTURE | INTERIORS | WELLBEING

MONTECITO LOS ANGELES SAINT HELENA Sausalito

1021 MAIN STREET ST. HELENA CALIF 95760

TELEPHONE 907 607 9020 FACSIMILE 907 607 9024

1160 CAMPAGINE DRIVE  
KENWOOD, CALIFORNIA 95409



A0.20


















## CORRUGATED METAL SIDING AND ROOFING



NOTES:

1. COLORS USED FOR EXTERIOR BUILDING SURFACES SHALL MATCH THE HUE, LIGHTNESS, AND SATURATION OF COLORS OF THE IMMEDIATELY SURROUNDING TREES. SUBJECT TO REVIEW AND APPROVAL BY THE DESIGN REVIEW COMMITTEE, SEVERAL COLORS MATCHING THOSE OF THE SURROUNDING TREES SHALL BE USED TO MINIMIZE UNIFORMITY.
2. ROOF MATERIALS SHALL BE NONGLOSSY, DARK IN COLOR, AND SYMPATHETIC WITH COLORS IN THE SURROUNDING LANDSCAPE.
3. ALL BUILDING MATERIAL SHALL BE NONREFLECTIVE.
4. ALL GLASS SHALL BE NONGLARE-NONREFLECTIVE.
5. RECLAIMED CORRUGATED METAL PANELS WILL VARY IN TONE AND PERCENTAGE OF WEATHERING AREA



These documents are the property of Backen & Gillam Architects. Any unauthorized use without the written consent is prohibited by law. Backen & Gillam Architects disclaims responsibility for the documents if used whole or in part at any other location.

**BACKEN & BACKEN**  
ARCHITECTURE | LIFETITLE | WELLBEING  
BOSTON 617.552.1000 LOS ANGELES 310.206.1000  
421 MAIN STREET, SUITE 200, BOSTON, MA 02111  
421 MAIN STREET, SUITE 200, BOSTON, MA 02111

THE KENWOOD RANCH  
WINERY

1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409


[illegible]

EXTERIOR MATERIALS

SERVICE BLDG.

A0.24

## APN 051-260-013



**OVERALL SITE PLAN**

60' 30' 0 30' 60' 120' 180'

Graphic Scale: 1" = 60'

The plan shows a road layout with a north arrow pointing towards the top right. A graphic scale bar is located below the north arrow, with markings at 60', 30', 0, 30', 60', 120', and 180'. The text 'Graphic Scale: 1" = 60'' is written below the scale bar.

**PARKING REPORT**

+ TOTAL PARKING SPACES : 147

+ ACCESSIBLE SPACES : 7 (TOTAL)

VAN ACCESSIBLE : 3

| SHEET INDEX |                                              |
|-------------|----------------------------------------------|
| C1.0        | OVERALL SITE PLAN                            |
| C2.0-2.4    | DRIVEWAY PLAN & PROFILE                      |
| C3.0-3.2    | GRADING, DRAINAGE & EROSION<br>CONTROL PLANS |
| C4.0-4.1    | UTILITY PLANS                                |
| C5.0        | STORMWATER CONTROL PLAN                      |
| C6.0        | TYPICAL DETAILS                              |

1180 CAMPAGNA LANE  
PENWOOD, CALIFORNIA 95409

[illegible]OVERALL  
SITE PLAN




SCALE : AS NOTED

## C1.0

1 OF 13

PRELIMINARY - NOT FOR CONSTRUCTION





## TYPICAL SECTIONS

Graphic Scale: 1" = 10' (H&V)

- ## KEY NOTES

## PAVING LEGEND

- |                                                                                  |                                                                   |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------|
|  | ASPHALT CONCRETE PAVEMENT<br>3" AC OVER 9" CL II AB               |
|  | DECOMPOSED GRANITE (STABILIZED, *)                                |
|  | GRAVEL PAVING (12" CL II AB)                                      |
| <b>CONCRETE PAVING:</b>                                                          |                                                                   |
|  | + VEHICULAR: 6" PCC w/ #3 REBAR @ 18"<br>O.C.E.W OVER 6" CL II AB |
|                                                                                  | + PEDESTRIAN: 4" PCC OVER 4" CL II AB (*)                         |

(\*) SEE LANDSCAPE PLANS FOR DETAILS

NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS  
FOR SUBGRADE PREPARATION.

THE KENWOOD RANCH  
WINERY



|             |          |
|-------------|----------|
| Plot Date   | 7/2022   |
| Drawn By    | GRN      |
| Checked By  | PRD      |
| Project No. | 20200.01 |


| Date     | Issue               |
|----------|---------------------|
| 12.23.21 | DESIGN REVIEW       |
| 07.06.22 | REVISED DRG DRAWING |

### DRIVEWAY PLAN & PROFILE

SCALE : AS NOTED


C2.0

2 OF 13



DRIVEWAY PROFILE


Graphic Scale: 1" = 20' (H&V)



DRIVEWAY PLAN

Graphic Scale: 1" = 20'

SECTION D (STA 7+00)



TYPICAL SECTION

Graphic Scale: 1" = 10' (H&V)

KEY NOTES


- 1 BIOTENTION FACILITY
- 2 STORM DRAIN/ CULVERT
- 3 LANDSCAPE ROCK WALL (SLP)
- 4 EX TREE TO REMAIN
- 5 EX TREE TO BE REMOVED
- 6 NEW TREE (SLP)
- 7 FRENCH DRAIN UNDER ROCK SHOULDER
- 8 3-FT TRUNCATED DOMES (TYP)

PAVING LEGEND

- ASPHALT CONCRETE PAVEMENT  
3" AC OVER 9" CL 11 AB
- DECOMPOSED GRANITE (STABILIZED, \*)
- GRAVEL PAVING (12" CL 11 AB)
- CONCRETE PAVING:  
+ VIBRICULAR 6" PCC w/ 3% REBAR @ 18"  
+ G.C.E.W OVER 4" CL 11 AB  
+ PEDESTRIAN 4" PCC OVER 4" CL 11 AB (\*)




(\*) SEE LANDSCAPE PLANS FOR DETAILS  
NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS  
FOR SUBGRADE PREPARATION.





- KEY NOTES**
- 1 BIORETENTION FACILITY
  - 2 STORM DRAIN / CULVERT
  - 3 LANDSCAPE ROCK WALL (SLP)
  - 4 EX TREE TO REMAIN
  - 5 EX TREE TO BE REMOVED
  - 6 NEW TREE (SLP)
  - 7 FRENCH DRAIN UNDER ROCK SHOULDER
  - 8 3-FT TRUNCATED DOMES (TYP)


- PAVING LEGEND**
- ASPHALT CONCRETE PAVEMENT  
5" AC OVER 9" CL II AB
  - DECOMPOSED GRANITE (STABILIZED, \*)
  - GRAVEL PAVING (12" CL II AB)
  - CONCRETE PAVING:  
+ VEHICULAR: 6" PCC w/ #3 REBAR @ 18"  
CLEAR OVER 4" CL II AB  
+ PEDESTRIAN: 4" PCC OVER 4" CL II AB (\*)
- (\*) SEE LANDSCAPE PLANS FOR DETAILS  
NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS FOR SUBGRADE PREPARATION.






**TYPICAL SECTIONS**

Graphic Scale: 1" = 10' (H&V)








- | <u>PAVING LEGEND</u>                                                              |                                                                   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------|
|  | ASPHALT CONCRETE PAVEMENT<br>3" AC OVER 9" CL II AB               |
|  | DECOMPOSED GRANITE (STABILIZED, *)                                |
|  | GRAVEL PAVING (12" CL II AB)                                      |
| <u>CONCRETE PAVING:</u>                                                           |                                                                   |
|  | • VEHICULAR: 6" PCC w/ #3 REBAR @ 18"<br>O.C.E.W OVER 6" CL II AB |
|                                                                                   | • PEDESTRIAN: 4" PCC OVER 4" CL II AB (*)                         |








- (\*) SEE LANDSCAPE PLANS FOR DETAILS
- NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS  
FOR SUBGRADE PREPARATION.



11/20/2020 10:42:53 AM C:\Users\jdoyle\OneDrive\Documents\Projects\202001\11/20/2020 10:42:53 AM C:\Users\jdoyle\OneDrive\Documents\Projects\202001\11/20/2020 10:42:53 AM




**PAVING LEGEND**

- ASPHALT CONCRETE PAVEMENT  
3" AC OVER 9" CL # AB
- DECOMPOSED GRANITE (STABILIZED, \*)
- GRAVEL PAVING (12" CL # AB)
- CONCRETE PAVING:  
+ VEHICULAR: 6" PCC w/ #3 REBAR @ 18"  
O.C.E.W OVER 6" CL # AB  
+ PEDESTRIAN: 4" PCC OVER 4" CL # AB (5)
- (\*) SEE LANDSCAPE PLANS FOR DETAILS
- NOTE: SEE SOLS ENGINEER'S RECOMMENDATIONS FOR SUBGRADE PREPARATION.

**KEY NOTES**

- 1 BORETENTION FACILITY
- 2 STORM DRAIN/ CULVERT
- 3 LANDSCAPE ROCK WALL (SLP)
- 4 EX TREE TO REMAIN
- 5 EX TREE TO BE REMOVED
- 6 NEW TREE (SLP)
- 7 FRENCH DRAIN UNDER ROCK SHOULDER
- 8 3-FT TRUNCATED DOMES (TYP)



**adobe associates, inc.**  
civil engineering / land surveying / wastewater  
1220 N. Duino Ave., Santa Rosa, CA 95401  
P. (707) 541-2500 F. (707) 541-2501  
Website: www.adobeinc.com

**THE KENWOOD RANCH WINERY**

1180 CAMPANA LANE  
KENWOOD, CALIFORNIA 94949

**PROFESSIONAL SEAL**  
JERRY DOYLE  
No. 41833  
Exp. 3/31/2024  
CIVIL ENGINEER  
STATE OF CALIFORNIA

Plot Date: 7/20/22  
Drawn By: JDOYLE  
Checked By: JDOYLE  
Project No: 202001.01

Date: 7/20/22  
Issue: 07/06/22  
Drawing set:  
DESIGN REVIEW  
REVISED SDC DRAWINGS

**SITE GRADING & DRAINAGE PLAN**

SCALE: AS NOTED

**C3.0**


7 OF 13







T:\2020 PROJECTS\20200507\_Venue\_Visual-Design-Review\20200507\_Venue\_Visual-Design-Review.dwg, 6/26/2023 11:24:49 AM



**PAVING LEGEND**

- ASPHALT CONCRETE PAVEMENT  
3" AC OVER 8" CL II AB
- DECOMPOSED GRANITE (STABILIZED, \*)
- GRAVEL PAVING (12" CL II AB)

**CONCRETE PAVING:**

- 1 VERTICAL: 4" PCC w/ #3 REBAR @ 18" O.C.E.W OVER 6" CL II AB
- 1 PEDESTRIAN: 4" PCC OVER 4" CL II AB (\*)

(\*) SEE LANDSCAPE PLANS FOR DETAILS

**NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS FOR SUBGRADE PREPARATION.**

**KEY NOTES**

- BIORETENTION FACILITY
- STORM DRAIN / CULVERT
- LANDSCAPE ROCK WALL (SLP, TYP)
- FENCING/GATE (SAP/SLP, TYP)
- GENERATOR (INSULATED TO MEET COUNTY'S NOISE REQUIREMENTS)
- REACTOR TANK (INSULATED TO MEET COUNTY'S NOISE REQUIREMENTS)

**adobe associates, inc.**  
civil engineering / land surveying / wastewater  
1230 N. Duino Ave., Santa Rosa, CA 95401  
P. (707) 541-2500 F. (707) 541-2501  
Website: www.adobeinc.com

**THE KENWOOD RANCH WINERY**

1180 CAMPANA LANE  
KENWOOD, CALIFORNIA 95469

**UTILITY PLAN**

SCALE: 1" = 20'

**C4.0**


10 OF 13

**PRELIMINARY - NOT FOR CONSTRUCTION**






T:\2020\PROJECTS\20200201\DWG\20200201.dwg Author: Design Manager: 2/20/2020 2:00 PM Stormwater Control Plan.dwg: 4/29/2022 3:47:07 PM



STORMWATER CONTROL PLAN



**PAVING LEGEND**

|           |                                                                                                                                   |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------|
| [Pattern] | ASPHALT CONCRETE PAVEMENT<br>5" AC OVER 8" CL 1 AB                                                                                |
| [Pattern] | DECOMPOSED GRANITE (STABILIZED, *)                                                                                                |
| [Pattern] | GRAVEL PAVING (12" CL 1 AB)                                                                                                       |
| [Pattern] | CONCRETE PAVING:<br>+ VEHICULAR: 8" PCC w/ #3 REBAR @ 18"<br>+ C.C.W. OVER 6" CL 1 AB<br>+ PEDESTRIAN: 4" PCC OVER 4" CL 1 AB (*) |

(\*) SEE LANDSCAPE PLANS FOR DETAILS  
NOTE: SEE SOILS ENGINEER'S RECOMMENDATIONS FOR SUBGRADE PREPARATION.

**DRAINAGE AREA LEGEND**


|          |                        |
|----------|------------------------|
| [Symbol] | DRAINAGE AREA          |
| [Symbol] | POINT OF CONCENTRATION |
| [Symbol] | DRAINAGE AREA BOUNDARY |
| [Symbol] | PROPERTY LINE (PL)     |
| [Symbol] | DIRECTION OF FLOW      |
| [Symbol] | BIORETENTION FACILITY  |

- KEY NOTES:**
- 1. BIORETENTION FACILITY - RAIN GARDEN TYPE
  - 2. BIORETENTION FACILITY - ROADSIDE SWALE TYPE

| DA NO. | TOTAL AREA (ACRES) | FACILITY NAME | BIO DETAIL | TOTAL BIO AREA (SQ FT) | TRENCH DEPTH (FT) | DESIGN VOLUME (CY) | REQUIRED VOLUME (CY) |
|--------|--------------------|---------------|------------|------------------------|-------------------|--------------------|----------------------|
| DA1    | 2.83               | BIO-1         | 2          | 1759                   | 2.80              | 1477               | 1224                 |
| DA2    | 0.18               | BIO-2         | 1          | 1783                   | 3.50              | 321                | 321                  |
| DA3    | 0.26               | BIO-3         | 1          | 289                    | 2.10              | 259                | 221                  |
| DA4    | 0.24               | BIO-4         | 1          | 147                    | 4.50              | 324                | 297                  |
| DA5    | 0.17               | BIO-5         | 1          | 399                    | 3.25              | 354                | 349                  |
| DA6    | 0.18               | BIO-6         | 1          | 162                    | 2.50              | 192                | 177                  |
| DA8    | 0.19               | BIO-8         | 2          | 319                    | 2.10              | 294                | 245                  |
| DA9    | 0.45               | BIO-9         | 1          | 888                    | 2.50              | 957                | 839                  |
| DA10   | 0.41               | BIO-10        | 2          | 874                    | 2.80              | 746                | 451                  |
| DA11   | 0.21               | BIO-11        | 2          | 383                    | 2.80              | 430                | 249                  |
| DA12   | 0.09               | BIO-12        | 2          | 84                     | 2.10              | 146                | 97                   |
| DA13   | 0.17               | BIO-13        | 2          | 423                    | 2.10              | 489                | 275                  |
| DA14   | 0.21               | BIO-14        | 2          | 399                    | 3.25              | 439                | 399                  |
| DA15   | 0.60               | BIO-15        | 1          | 729                    | 3.80              | 1193               | 1137                 |
| DA16   | 0.43               | BIO-16        | 1          | 620                    | 4.50              | 1347               | 1310                 |
| DA17   | 0.62               | BIO-17        | 2          | 1943                   | 4.50              | 2147               | 1992                 |
| DA18   | 0.43               | BIO-18        | 2          | 526                    | 2.50              | 526                | 519                  |


NOTES

(\*) THE TOTAL VOLUME INCLUDES SURFACE VOLUME (SEE LID CALCULATIONS).



- NOTES:**
- 1. VEGETATION TO MEET LID STANDARDS; PLANTINGS MAY INCLUDE TREES.
  - 2. AMENDED SOILS SHALL HAVE INFILTRATION RATE 5"/HR MIN AND POROSITY > 0.40 MIN.
  - 3. DRAIN ROCK SHALL HAVE POROSITY = 0.40 MIN.
  - 4. SEE TABLE ON THIS SHEET FOR FACILITY AREA/ DIMENSIONS AND TRENCH DEPTH.

1. BIORETENTION FACILITY - RAIN GARDEN TYPE



- NOTES:**
- 1. SWALE SHALL DRAIN TOWARD OUTLET AT A MIN SLOPE OF 1%.
  - 2. VEGETATION TO MEET LID STANDARDS; PLANTINGS MAY INCLUDE TREES.
  - 3. AMENDED SOILS SHALL HAVE INFILTRATION RATE 5"/HR MIN AND POROSITY > 0.40 MIN.
  - 4. DRAIN ROCK SHALL HAVE POROSITY = 0.40 MIN.
  - 5. SEE TABLE ON THIS SHEET FOR FACILITY DIMENSIONS AND TRENCH DEPTH.

2. BIORETENTION FACILITY - ROADSIDE SWALE TYPE

**adobe associates, inc.**  
civil engineering / land surveying / wastewater  
1220 N. Duino Ave., Santa Rosa, CA 95401  
P. (707) 541-2500 F. (707) 541-2501  
Website: www.adobeinc.com  
"A Service You Can Count On"

**THE KENWOOD RANCH WINERY**  
1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 94949

**STORMWATER CONTROL PLAN**


Plot Date: 7/2022  
Drawn By: JCF  
Checked By: JCF  
Project No.: 202002.01

Date: 12/23/21  
Issue: 07/06/22  
Revision: 07/06/22  
Revised: 07/06/22

**STORMWATER CONTROL PLAN**


SCALE: 1" AS NOTED

C5.0





- NOTES:**
1. SWALE DEPTH IS 0.75' MIN UNLESS OTHERWISE NOTED.
  2. SWALE SHALL BE GRADED TO DRAIN TOWARD OUTLET AT A MIN SLOPE 0.5% SLOPE OF ROADSIDE SWALES SHALL FOLLOW ROADWAY PROFILE UNLESS OTHERWISE NOTED ON THE PLANS.
  3. INSTALL EROSION CONTROL BLANKETS (ROLLMAX S150 OR EQVA) WHERE VEGETATION IS NOT ESTABLISHED BEFORE WET SEASON.

**1 VEGETATED SWALE**  
NTS





**3 AC BERM**  
NTS




- NOTE:** ROCKS TO BE PLACED PER CALTRANS 2018 SPECIFICATIONS SECTION 72, METHOD B, CLASS II (9" DIAMETER ROCKS WITH NOMINAL MEDIAN PARTICLE WEIGHT  $W_{50} = 60$  LBS)

**5 ROCK RIP-RAP STORM DRAIN INLET/OUTLET**  
NTS




- NOTE:** ROCKS TO BE PLACED PER CALTRANS 2018 SPECIFICATIONS SECTION 72, METHOD B, CLASS II (9" DIAMETER ROCKS WITH NOMINAL MEDIAN PARTICLE WEIGHT  $W_{50} = 60$  LBS)

**6 ROCK RIP-RAP SWALE OUTFALL**  
NTS




**7 PROTECTION FENCING**  
NTS




- NOTES:**
1. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN NECESSARY.
  2. REMOVED SEDIMENT SHALL BE DEPOSITED TO AN AREA THAT WILL NOT CONTRIBUTE SEDIMENT OFF-SITE AND CAN BE PERMANENTLY STABILIZED.
  3. SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE PONDING EFFICIENCY.


**8 SILT FENCE**  
NTS



**2 ROCK-LINED DITCH**  
NTS




**4 AC BERM OUTFALL**  
NTS




- NOTES:**
1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.
  2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY.
  3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN.

**9 TEMPORARY CONSTRUCTION ENTRANCE**  
NTS




- NOTES:**
1. ACTUAL LAYOUT AND LOCATION DETERMINED IN FIELD.
  2. THE CONCRETE WASHOUT SIGN SHALL BE INSTALLED WITHIN 30 FT. OF THE TEMPORARY CONCRETE WASHOUT FACILITY.

**10 CONCRETE WASHOUT**  
(NOT TO SCALE)




- NOTES:**
1. DROP INLET SEDIMENT BARRIERS ARE TO BE USED FOR SMALL, NEARLY LEVEL DRAINAGE AREAS. (LESS THAN 5%).
  2. USE 1X4 WOOD OR EQUIVALENT METAL STAKES, (3FT MIN LENGTH).
  3. THE TOP OF THE FRAME (PONDING HEIGHT) MUST BE WELL BELOW THE GROUND ELEVATION DOWNSLOPE TO PREVENT RUNOFF FROM BY-PASSING THE INLET. A TEMPORARY DIKE MAY BE NECESSARY ON THE DOWNSLOPE SIDE OF THE STRUCTURE.

**11 STRAW WATTLE DROP INLET SEDIMENT BARRIER**  
NTS



- NOTES:**
1. EMBED WATTLES 4" (100mm) INTO THE SOIL AND 'KEY' WATTLES INTO THE SWALE BANKS.
  2. POINT 'A' MUST BE HIGHER THAN POINT 'B'. (SPILLWAY HEIGHT)
  3. PLACE WATTLES PERPENDICULAR TO THE FLOW WITH ENDS TIGHTLY ABUTTING.
  4. INSPECT AFTER EACH SIGNIFICANT STORM, MAINTAIN AND REPAIR PROMPTLY.

**12 STRAW WATTLE CHECK DAM**  
NTS



- NOTES:**
1. STRAW WATTLES ARE TUBES MADE FROM STRAW BOUND W/ BIO-DEGRADABLE WRAPPED NETTING. THEY ARE APPROX. 6" DIA AND 20' - 30' FT LONG.
  2. STRAW WATTLES TRAP SEDIMENT AND REDUCE SHEET & RILL EROSION BY REDUCING SLOPE GRADIENT, INCREASING INFILTRATION RATES AND BY PRODUCING A FAVORABLE ENVIRONMENT FOR PLANT ESTABLISHMENT.
  3. STRAW WATTLE INSTALLATION REQUIRES THE PLACEMENT AND SECURE STAKING OF THE WATTLE IN A TRENCH, 3" - 5" DEEP, DRAIN ON CONTOUR. RUNOFF MUST NOT BE ALLOWED TO RUN UNDER OR AROUND WATTLE.

**13 STRAW WATTLE SLOPE PROTECTION**  
NTS


## LEGEND

- (E) TREE - TO BE REMOVED - POOR HEALTH
- (E) TREE - TO BE REMOVED - CONSTRUCTION
- (E) TREE - TO BE PRESERVED

## POOR SUITABILITY FOR PRESERVATION



## FAIR SUITABILITY FOR PRESERVATION



## MODERATE SUITABILITY FOR PRESERVATION



## THE KENWOOD RANCH WINERY

1190 Campagna Lane  
Kenwood, CA 95409

APN: 051-260-013

Issue set: REVISED DRC DRAWINGS  
Issue date: 07/06/22

## Revisions:

| REV | DESCRIPTION          | DATE     |
|-----|----------------------|----------|
|     | DESIGN REVIEW        | 12.25.21 |
|     | REVISED DRC DRAWINGS | 07/06/22 |

## Tree Protection Plan

Scale: 1" = 40'  
Drawn by: IH





## Common Areas: Roadways & Driveways

Shoulder area extends 5' from paved surfaces

### NOTES

- All brush and shrub species must be removed from shoulder areas (5' from paved surfaces). Individual oak and ornamental trees can be retained adjacent to the roadway, provided a minimum 15' clearance is maintained over the roadway.
- Annual grasses can be retained in the shoulder areas, provided the grasses are moved annually to a maximum 4' height or as directed.
- Maintain 30' minimum horizontal clearance between flammable vegetation across driveways. At slopes, increase the horizontal clearance dimensions per the table on drawing P15 of the Sonoma County Fire Safe Standards document.

## Fire Zone Property Setback

30' setback from all property lines and/or center of a road

### NOTES

- Structures constructed in the SRA are required to comply with the defensible space regulations in Title 14, Natural Resources Division 1.5, Department of Forestry and Fire Protection Chapter 7, Fire Protection Subchapter 3, Fire Hazard.

## Defensible Space Zone 0

Areas within 5' of building structures

### NOTES

- Hard surfaces such as concrete or noncombustible rock mulch are used in the 0-5' zone around structures. In specifically designated spaces, containerized herbaceous flowering perennials, annuals, and succulent plants may be used (subject to review).
- Limit plants in this area to low-growing, nonwoody, properly watered and maintained plants.
- Remove all dead and dying weeds, grass, plants, shrubs, trees, branches and vegetative debris (leaves, needles, cones, bark, etc.)

## Defensible Space Zone 1

Areas within 30' of building structures

### NOTES

- Trim trees regularly to keep branches a minimum of 10' from other trees.
- Create a separation between trees, shrubs and items that could catch fire, such as patio furniture, wood piles, swing sets, etc.
- Remove all dead and dying weeds, grass, plants, shrubs, trees, branches and vegetative debris (leaves, needles, cones, bark, etc.)
- Remove or prune flammable plants and shrubs near windows.
- Remove vegetation and items that could catch fire from around and under decks, balconies and stairs.
- Relocate wood piles to Zone 2.

## Defensible Space Zone 2

Edge of Zone 1 to a 100' distance from building structures

### NOTES

- Create horizontal and vertical space between grass, shrubs and trees according to all 148 Defensible Space Inspection Guidelines.
- Young or semi-mature trees less than 40' in height shall have the lower limbs removed to a height equal to 25% of the total tree height above the uphill grade (example: 20' tree requires a 5' uphill grade clearance).
- Cut or mow annual grass down to a maximum height of 4' or as directed.
- Create vertical space between shrubs and trees.
- Maintain fall leaves, needles, twigs, bark, cone and small branches to a depth of 3" maximum.
- All exposed wood piles must have a minimum of 10' of clearance down to bare mineral soil in all directions.

## Defensible Space Zone 3

Edge of Zone 2 to 150' distance from building structures

### NOTES


- The same guidelines as described above will be applied. The overall landscape will be less dense with greater separation between shrub and tree groupings.

### NOTES

1. The guidelines herein have been developed in accordance with the vegetation management plan dated March 10, 2009, Cal Fire Defensible Space Guidelines and Public Resources Code and Fire Safe from the Sonoma County Fire Code.

2. Landscape Guidelines include the following elements:

- Fire-resistant plant species are required. Landscape shrubs and groundcovers will be low growing with low foliage density. All pyrophytic plant species will be removed from this zone.
- Landscape plantings shall be grouped in island-type configurations with a maximum 18' diameters. Shrub and groundcover island plantings shall be separated by a distance no less than two times the overall shrub height (see mature or maintained height). The maximum number of woody shrubs or groundcovers shall not exceed 30% of the total area within Zone 2.
- New tree plantings shall use fire-resistant species. Fire resistant trees include species that are deciduous, have large fleshy leaves and open limb structures. Native oak species are naturally fire-resistant and a desirable tree species.
- Trees, or tree groups of limited size, will be separated by distances of at least 20' on moderate slopes and 10' on flat areas. Shrub plantings will not be used below tree driplines. Limited numbers of irrigated low-growing ground cover (≤ 18") may be used below trees (subject to review). A 2" deep dark mulch (coarse, 30" minus grade) may be used below tree crowns. The crowns of mature trees shall be maintained at a 10' distance from the edge of a structure.
- Non-irrigated grass areas require annual mowing to maintain a maximum 4" height or as directed.



## THE KENWOOD RANCH WINERY

1180 Campagna Lane  
Kenwood, CA 95409

APN: 051-260-013

Issue set: REVISED DRC DRAWINGS  
Issue date: 07.06.22

### Revisions:

| REV | DESCRIPTION          | DATE     |
|-----|----------------------|----------|
|     | DESIGN REVIEW        | 12.23.21 |
|     | REVISED DRC DRAWINGS | 07.06.22 |

## Defensible Space Requirements Plan

Scale: 1" = 50'  
Drawn by: IH

## L0.03

**LEGEND**

- 1 SEEDED CONCRETE PAVING
- 2 AC PAVING
- 3 CRUSHED ROCK W/ STABILIZER
- 4 CRUSHED ROCK PAVING
- 5 CONCRETE PAVING
- 6 CONCRETE STEPS
- 7 STONE STEPPED WALLS
- 8 TIMBER FENCING



**THE KENWOOD  
RANCH WINERY**

1180 Campagna Lane  
Kenwood, CA 95049

APN: 051-260-013

Issue set: REVISED DRC DRAWINGS  
Issue date: 07/06/22

**Revisions:**

| REV | DESCRIPTION          | DATE     |
|-----|----------------------|----------|
| 1   | DESIGN REVIEW        | 12.23.21 |
| 2   | REVISED DRC DRAWINGS | 07/06/22 |

**Landscape Site  
Plan**

Scale: 1" = 50'  
Drawn by: JH

**L1.0**



PLANT LEGEND

| Symbol                                                                          | Quantity | Botanical Name      | Common Name         | Container Size   | Notes                    | Symbol                                                                            | Quantity | Botanical Name                    | Common Name             | Container Size         | Notes                    |
|---------------------------------------------------------------------------------|----------|---------------------|---------------------|------------------|--------------------------|-----------------------------------------------------------------------------------|----------|-----------------------------------|-------------------------|------------------------|--------------------------|
| <b>TREES</b>                                                                    |          |                     |                     |                  |                          |                                                                                   |          |                                   |                         |                        |                          |
|  | 4        | Acer macrophyllum   | Big Leaf Maple      | 36" box          | Drip Irrigation as shown |  | 12       | Garrya elliptica                  | Waxleaf Yucca           | 5 gal + 15 gal         | Drip Irrigation as shown |
|  | 56       | Quercus agrifolia   | California Live Oak | 36" box, 48" box | Multi or Std.            |  | 163      | Heteromeles arbutifolia           | Toyon                   | 5 gal, 15 gal, 24" box | as shown                 |
|  | 6        | Quercus engelmannii | Pasadena oak        | 48" box          | as shown                 |  | 111      | Rhamnus californica 'Eve Case'    | Eve Case Coffeeberry    | 5 gal + 15 gal         | as shown                 |
|  | 32       | Quercus kelloggii   | Black Oak           | 36" box, 48" box | as shown                 |  | 109      | Rhamnus californica 'Leatherleaf' | Leatherleaf Coffeeberry | 5 gal + 15 gal         | as shown                 |
|  | 29       | Quercus lobata      | Valley Oak          | 36" box, 48" box | as shown                 |                                                                                   |          |                                   |                         |                        |                          |
|  | 32       | Quercus wislizeni   | Interior Pine oak   | 36" box, 48" box | as shown                 |                                                                                   |          |                                   |                         |                        |                          |

Total (N) Oaks to be Planted: 155  
Grand Total (N) Trees to be Planted: 159


| Symbol                                                                            | Quantity        | Botanical Name                  | Common Name              | Container Size | Notes         | Symbol          | Quantity | Botanical Name | Common Name | Container Size | Notes |
|-----------------------------------------------------------------------------------|-----------------|---------------------------------|--------------------------|----------------|---------------|-----------------|----------|----------------|-------------|----------------|-------|
| <b>NATIVE WOODLAND MEADOW</b>                                                     |                 |                                 |                          |                |               |                 |          |                |             |                |       |
|  | 158,339 sq. ft. | Eschscholzia californica        | California Poppy         |                | Hydroseeded   | No Irrigation   |          |                |             |                |       |
|                                                                                   |                 | Festuca californica             | California Fescue        |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca californica             | California Fescue        |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca rubra 'Molde'           | Molde Red Fescue         |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Lupinus nanus                   | Slip Lupine              |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca californica             | California Fescue        |                | 1 gal + 5 gal |                 |          |                |             |                |       |
| <b>NATIVE OPEN MEADOW</b>                                                         |                 |                                 |                          |                |               |                 |          |                |             |                |       |
|  | 87,387 sq. ft.  | Danthonia californica           | California Oatgrass      |                | Hydroseeded   | No Irrigation   |          |                |             |                |       |
|                                                                                   |                 | Eschscholzia californica        | California Poppy         |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca californica             | California Fescue        |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca rubra 'Molde'           | Molde Red Fescue         |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Lupinus nanus                   | Slip Lupine              |                | Hydroseeded   |                 |          |                |             |                |       |
|                                                                                   |                 | Muhlenbergia rigens             | Deer Grass               |                | 1 gal + 5 gal |                 |          |                |             |                |       |
| <b>CENTRAL COURTYARD</b>                                                          |                 |                                 |                          |                |               |                 |          |                |             |                |       |
|  | 3,130 sq. ft.   | Achillea spp.                   | Yarrow spp.              |                | 1 gal         | Drip Irrigation |          |                |             |                |       |
|                                                                                   |                 | Eschscholzia californica        | California Poppy         |                | 1 gal         |                 |          |                |             |                |       |
|                                                                                   |                 | Festuca californica             | California Fescue        |                | 1 gal + 5 gal |                 |          |                |             |                |       |
| <b>WOODLAND TASTING GARDEN</b>                                                    |                 |                                 |                          |                |               |                 |          |                |             |                |       |
|  | 5,134 sq. ft.   | Arctostaphylos 'Emerald Carpet' | Emerald Carpet Manzanita |                | 1 gal + 5 gal | Drip Irrigation |          |                |             |                |       |
|                                                                                   |                 | Arctostaphylos 'Pacific Mist'   | Pacific Mist Manzanita   |                | 1 gal + 5 gal |                 |          |                |             |                |       |
|                                                                                   |                 | Muhlenbergia rigens             | Deer Grass               |                | 1 gal + 5 gal |                 |          |                |             |                |       |

PLANTING NOTES

1. No plant greater than 18" tall shall be planted below a tree.
2. Plants within zones 1 and 2 shall be well-irrigated.
3. Dead plants shall be removed immediately.
4. See annual maintenance requirements in the Vegetation Management Plan, March 10, 2009, Cal Fire California State Guidelines and Public Resource Code and Fire Safe from the Sonoma County Fire Code (5.0.0.0) for further maintenance requirements.



O / 831,655,1414  
F / 831,655,3462  
537 Houston Street  
Monterey, CA 93940  
GROUNDSTUDIO.COM



THE KENWOOD RANCH WINERY

1180 Campagna Lane  
Kenwood, CA 95409

APN: 051-260-013

Issue set: REVISED DRC DRAWINGS  
Issue date: 07/06/22


Revisions:

| REV | DESCRIPTION          | DATE     |
|-----|----------------------|----------|
|     | DESIGN REVIEW        | 12.23.21 |
|     | REVISED DRC DRAWINGS | 07/06/22 |

Planting Plan

Scale: 1" = 50'  
Drawn by: IH

L3.0



These documents are the property of Backen & Gillam Architects. Any unauthorized use without the written consent is prohibited by law. Backen & Gillam Architects disclaims responsibility for the documents if used whole or in part at any other location.

BACKEN &amp; BACKEN

THE KENWOOD RANCH  
WINERY

1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]OVERALL  
SITE PLAN

1"=100'

## A1.01

THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]


# WINERY PROPERTY PLAN


1"=50'

## A1.02









These documents are the property of BACKEN & BACKEN ARCHITECTS. They are to be used only for the project and site identified herein. They are not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of BACKEN & BACKEN ARCHITECTS.

**BACKEN & BACKEN**  
ARCHITECTS  
1180 CAMPANA LANE  
KENWOOD, CALIFORNIA 95459  
TEL: 707.461.1111  
WWW.BACKEN-ARCHITECTS.COM

# THE KENWOOD RANCH WINERY




|             |                                                                |
|-------------|----------------------------------------------------------------|
| Plot Date   | 02/20/23                                                       |
| Drawn By    | DB                                                             |
| Checked By  | DB                                                             |
| Project No. | 2023-01                                                        |
| Date        | 02/20/23                                                       |
| Scale       | AS SHOWN ON PLOT                                               |
| Notes       | 1. SEE SITE PLAN FOR LOCATION OF ALL UTILITIES AND STRUCTURES. |

## SITE FLOOR PLAN UPPER

1"=20'

**A1.11**



These documents are the property of BACKEN & BACKEN ARCHITECTS. They are to be used only for the project and location specified. Any other use without the written consent of BACKEN & BACKEN ARCHITECTS is prohibited. BACKEN & BACKEN ARCHITECTS shall not be responsible for any errors or omissions in these documents.

**BACKEN & BACKEN**  
ARCHITECTS  
1180 CAMPANA LANE  
KENWOOD, CALIFORNIA 95049  
TELEPHONE: 925-938-1500 FAX: 925-938-1501  
WWW.BACKEN-ARCHITECTS.COM

# THE KENWOOD RANCH WINERY



|             |         |
|-------------|---------|
| Plot Date   | 6/24/22 |
| Drawn By    | CB      |
| Checked By  | CB      |
| Project No. | 2020-01 |
| Date        | 6/24/22 |
| Scale       | 1"=20'  |


## SITE ROOF PLAN

1"=20'

# A1.12







THE KENWOOD RANCH WINERY

1180 CAMPBELL AVE  
REDMOOD, CALIFORNIA 94068



WINERY WASTEWATER SHED FLOOR PLAN

1/8"=1'-0"

A2.90







BACKIN A BAKIN

THE KENWOOD RANCH WINERY



|                  |                                               |
|------------------|-----------------------------------------------|
| Project No.      | 1180                                          |
| Client Name      | THE KENWOOD RANCH WINERY                      |
| Project Name     | MARKETPLACE                                   |
| Project Location | 1180 CAMPBELL LANE, REMEDIO, CALIFORNIA 94588 |
| Project Date     | 11/11/11                                      |
| Project Status   | COMPLETED                                     |
| Project Manager  | JOHN J. JACOBSON                              |
| Project Engineer | JOHN J. JACOBSON                              |
| Project Designer | JOHN J. JACOBSON                              |
| Project Checker  | JOHN J. JACOBSON                              |
| Project Approver | JOHN J. JACOBSON                              |


ELEVATIONS MARKETPLACE

1/8" = 1'-0"

A3.10



SCALE 1" = 1'-0"




SCALE: 1/8" = 1'-0"

# MATERIAL KEY:

- MT-1 10" CORRUGATED METAL ROOFING
- MT-2 2x12 WINDSHIELD DOORS
- MT-3 2x12 WINDSHIELD DOORS
- MT-4 10" CORRUGATED METAL ROOFING
- MT-5 2x12 WINDSHIELD DOORS
- MT-6 2x12 WINDSHIELD DOORS
- MT-7 2x12 WINDSHIELD DOORS
- MT-8 2x12 WINDSHIELD DOORS
- MT-9 2x12 WINDSHIELD DOORS
- MT-10 2x12 WINDSHIELD DOORS
- MT-11 2x12 WINDSHIELD DOORS
- MT-12 2x12 WINDSHIELD DOORS
- MT-13 2x12 WINDSHIELD DOORS
- MT-14 2x12 WINDSHIELD DOORS
- MT-15 2x12 WINDSHIELD DOORS
- MT-16 2x12 WINDSHIELD DOORS
- MT-17 2x12 WINDSHIELD DOORS
- MT-18 2x12 WINDSHIELD DOORS
- MT-19 2x12 WINDSHIELD DOORS
- MT-20 2x12 WINDSHIELD DOORS
- MT-21 2x12 WINDSHIELD DOORS
- MT-22 2x12 WINDSHIELD DOORS
- MT-23 2x12 WINDSHIELD DOORS
- MT-24 2x12 WINDSHIELD DOORS
- MT-25 2x12 WINDSHIELD DOORS
- MT-26 2x12 WINDSHIELD DOORS
- MT-27 2x12 WINDSHIELD DOORS
- MT-28 2x12 WINDSHIELD DOORS
- MT-29 2x12 WINDSHIELD DOORS
- MT-30 2x12 WINDSHIELD DOORS
- MT-31 2x12 WINDSHIELD DOORS
- MT-32 2x12 WINDSHIELD DOORS
- MT-33 2x12 WINDSHIELD DOORS
- MT-34 2x12 WINDSHIELD DOORS
- MT-35 2x12 WINDSHIELD DOORS
- MT-36 2x12 WINDSHIELD DOORS
- MT-37 2x12 WINDSHIELD DOORS
- MT-38 2x12 WINDSHIELD DOORS
- MT-39 2x12 WINDSHIELD DOORS
- MT-40 2x12 WINDSHIELD DOORS
- MT-41 2x12 WINDSHIELD DOORS
- MT-42 2x12 WINDSHIELD DOORS
- MT-43 2x12 WINDSHIELD DOORS
- MT-44 2x12 WINDSHIELD DOORS
- MT-45 2x12 WINDSHIELD DOORS
- MT-46 2x12 WINDSHIELD DOORS
- MT-47 2x12 WINDSHIELD DOORS
- MT-48 2x12 WINDSHIELD DOORS
- MT-49 2x12 WINDSHIELD DOORS
- MT-50 2x12 WINDSHIELD DOORS
- MT-51 2x12 WINDSHIELD DOORS
- MT-52 2x12 WINDSHIELD DOORS
- MT-53 2x12 WINDSHIELD DOORS
- MT-54 2x12 WINDSHIELD DOORS
- MT-55 2x12 WINDSHIELD DOORS
- MT-56 2x12 WINDSHIELD DOORS
- MT-57 2x12 WINDSHIELD DOORS
- MT-58 2x12 WINDSHIELD DOORS
- MT-59 2x12 WINDSHIELD DOORS
- MT-60 2x12 WINDSHIELD DOORS
- MT-61 2x12 WINDSHIELD DOORS
- MT-62 2x12 WINDSHIELD DOORS
- MT-63 2x12 WINDSHIELD DOORS
- MT-64 2x12 WINDSHIELD DOORS
- MT-65 2x12 WINDSHIELD DOORS
- MT-66 2x12 WINDSHIELD DOORS
- MT-67 2x12 WINDSHIELD DOORS
- MT-68 2x12 WINDSHIELD DOORS
- MT-69 2x12 WINDSHIELD DOORS
- MT-70 2x12 WINDSHIELD DOORS
- MT-71 2x12 WINDSHIELD DOORS
- MT-72 2x12 WINDSHIELD DOORS
- MT-73 2x12 WINDSHIELD DOORS
- MT-74 2x12 WINDSHIELD DOORS
- MT-75 2x12 WINDSHIELD DOORS
- MT-76 2x12 WINDSHIELD DOORS
- MT-77 2x12 WINDSHIELD DOORS
- MT-78 2x12 WINDSHIELD DOORS
- MT-79 2x12 WINDSHIELD DOORS
- MT-80 2x12 WINDSHIELD DOORS
- MT-81 2x12 WINDSHIELD DOORS
- MT-82 2x12 WINDSHIELD DOORS
- MT-83 2x12 WINDSHIELD DOORS
- MT-84 2x12 WINDSHIELD DOORS
- MT-85 2x12 WINDSHIELD DOORS
- MT-86 2x12 WINDSHIELD DOORS
- MT-87 2x12 WINDSHIELD DOORS
- MT-88 2x12 WINDSHIELD DOORS
- MT-89 2x12 WINDSHIELD DOORS
- MT-90 2x12 WINDSHIELD DOORS
- MT-91 2x12 WINDSHIELD DOORS
- MT-92 2x12 WINDSHIELD DOORS
- MT-93 2x12 WINDSHIELD DOORS
- MT-94 2x12 WINDSHIELD DOORS
- MT-95 2x12 WINDSHIELD DOORS
- MT-96 2x12 WINDSHIELD DOORS
- MT-97 2x12 WINDSHIELD DOORS
- MT-98 2x12 WINDSHIELD DOORS
- MT-99 2x12 WINDSHIELD DOORS
- MT-100 2x12 WINDSHIELD DOORS


## NOTES:

- SEE MATERIAL BARBERS FOR ADDITIONAL INFORMATION
- SEE MATERIAL BARBERS FOR ADDITIONAL INFORMATION



2 MARKETPLACE SECTION

SCALE: 1/8" = 1'-0"



1 MARKETPLACE SECTION

SCALE: 1/8" = 1'-0"

THE KENWOOD RANCH  
WINERY

1180 GARDENHILL LANE  
REINWOOD, CALIFORNIA 95068



|                      |                          |
|----------------------|--------------------------|
| Project Name         | THE KENWOOD RANCH WINERY |
| Client               | THE KENWOOD RANCH WINERY |
| Architect            | THE KENWOOD RANCH WINERY |
| Engineer             | THE KENWOOD RANCH WINERY |
| Interior Designer    | THE KENWOOD RANCH WINERY |
| Landscaper           | THE KENWOOD RANCH WINERY |
| Structural Engineer  | THE KENWOOD RANCH WINERY |
| MEP Engineer         | THE KENWOOD RANCH WINERY |
| Cost Estimator       | THE KENWOOD RANCH WINERY |
| Construction Manager | THE KENWOOD RANCH WINERY |
| General Contractor   | THE KENWOOD RANCH WINERY |
| Subcontractors       | THE KENWOOD RANCH WINERY |
| Material Suppliers   | THE KENWOOD RANCH WINERY |
| Other                | THE KENWOOD RANCH WINERY |

SECTIONS  
MARKETPLACE

1/8" = 1'-0"

A3.12




# MATERIAL KEY:

- MT-1 2"X4 COMBUSTIBLE METAL ROOFING
- MT-2 2"X4 COMBUSTIBLE METAL ROOFING
- MT-3 2"X4 COMBUSTIBLE METAL ROOFING
- MT-4 2"X4 COMBUSTIBLE METAL ROOFING
- MT-5 2"X4 COMBUSTIBLE METAL ROOFING
- MT-6 2"X4 COMBUSTIBLE METAL ROOFING
- MT-7 2"X4 COMBUSTIBLE METAL ROOFING
- MT-8 2"X4 COMBUSTIBLE METAL ROOFING
- MT-9 2"X4 COMBUSTIBLE METAL ROOFING
- MT-10 2"X4 COMBUSTIBLE METAL ROOFING
- MT-11 2"X4 COMBUSTIBLE METAL ROOFING
- MT-12 2"X4 COMBUSTIBLE METAL ROOFING
- MT-13 2"X4 COMBUSTIBLE METAL ROOFING
- MT-14 2"X4 COMBUSTIBLE METAL ROOFING
- MT-15 2"X4 COMBUSTIBLE METAL ROOFING
- MT-16 2"X4 COMBUSTIBLE METAL ROOFING
- MT-17 2"X4 COMBUSTIBLE METAL ROOFING
- MT-18 2"X4 COMBUSTIBLE METAL ROOFING
- MT-19 2"X4 COMBUSTIBLE METAL ROOFING
- MT-20 2"X4 COMBUSTIBLE METAL ROOFING
- MT-21 2"X4 COMBUSTIBLE METAL ROOFING
- MT-22 2"X4 COMBUSTIBLE METAL ROOFING
- MT-23 2"X4 COMBUSTIBLE METAL ROOFING
- MT-24 2"X4 COMBUSTIBLE METAL ROOFING
- MT-25 2"X4 COMBUSTIBLE METAL ROOFING
- MT-26 2"X4 COMBUSTIBLE METAL ROOFING
- MT-27 2"X4 COMBUSTIBLE METAL ROOFING
- MT-28 2"X4 COMBUSTIBLE METAL ROOFING
- MT-29 2"X4 COMBUSTIBLE METAL ROOFING
- MT-30 2"X4 COMBUSTIBLE METAL ROOFING
- MT-31 2"X4 COMBUSTIBLE METAL ROOFING
- MT-32 2"X4 COMBUSTIBLE METAL ROOFING
- MT-33 2"X4 COMBUSTIBLE METAL ROOFING
- MT-34 2"X4 COMBUSTIBLE METAL ROOFING
- MT-35 2"X4 COMBUSTIBLE METAL ROOFING
- MT-36 2"X4 COMBUSTIBLE METAL ROOFING
- MT-37 2"X4 COMBUSTIBLE METAL ROOFING
- MT-38 2"X4 COMBUSTIBLE METAL ROOFING
- MT-39 2"X4 COMBUSTIBLE METAL ROOFING
- MT-40 2"X4 COMBUSTIBLE METAL ROOFING
- MT-41 2"X4 COMBUSTIBLE METAL ROOFING
- MT-42 2"X4 COMBUSTIBLE METAL ROOFING
- MT-43 2"X4 COMBUSTIBLE METAL ROOFING
- MT-44 2"X4 COMBUSTIBLE METAL ROOFING
- MT-45 2"X4 COMBUSTIBLE METAL ROOFING
- MT-46 2"X4 COMBUSTIBLE METAL ROOFING
- MT-47 2"X4 COMBUSTIBLE METAL ROOFING
- MT-48 2"X4 COMBUSTIBLE METAL ROOFING
- MT-49 2"X4 COMBUSTIBLE METAL ROOFING
- MT-50 2"X4 COMBUSTIBLE METAL ROOFING
- MT-51 2"X4 COMBUSTIBLE METAL ROOFING
- MT-52 2"X4 COMBUSTIBLE METAL ROOFING
- MT-53 2"X4 COMBUSTIBLE METAL ROOFING
- MT-54 2"X4 COMBUSTIBLE METAL ROOFING
- MT-55 2"X4 COMBUSTIBLE METAL ROOFING
- MT-56 2"X4 COMBUSTIBLE METAL ROOFING
- MT-57 2"X4 COMBUSTIBLE METAL ROOFING
- MT-58 2"X4 COMBUSTIBLE METAL ROOFING
- MT-59 2"X4 COMBUSTIBLE METAL ROOFING
- MT-60 2"X4 COMBUSTIBLE METAL ROOFING
- MT-61 2"X4 COMBUSTIBLE METAL ROOFING
- MT-62 2"X4 COMBUSTIBLE METAL ROOFING
- MT-63 2"X4 COMBUSTIBLE METAL ROOFING
- MT-64 2"X4 COMBUSTIBLE METAL ROOFING
- MT-65 2"X4 COMBUSTIBLE METAL ROOFING
- MT-66 2"X4 COMBUSTIBLE METAL ROOFING
- MT-67 2"X4 COMBUSTIBLE METAL ROOFING
- MT-68 2"X4 COMBUSTIBLE METAL ROOFING
- MT-69 2"X4 COMBUSTIBLE METAL ROOFING
- MT-70 2"X4 COMBUSTIBLE METAL ROOFING
- MT-71 2"X4 COMBUSTIBLE METAL ROOFING
- MT-72 2"X4 COMBUSTIBLE METAL ROOFING
- MT-73 2"X4 COMBUSTIBLE METAL ROOFING
- MT-74 2"X4 COMBUSTIBLE METAL ROOFING
- MT-75 2"X4 COMBUSTIBLE METAL ROOFING
- MT-76 2"X4 COMBUSTIBLE METAL ROOFING
- MT-77 2"X4 COMBUSTIBLE METAL ROOFING
- MT-78 2"X4 COMBUSTIBLE METAL ROOFING
- MT-79 2"X4 COMBUSTIBLE METAL ROOFING
- MT-80 2"X4 COMBUSTIBLE METAL ROOFING
- MT-81 2"X4 COMBUSTIBLE METAL ROOFING
- MT-82 2"X4 COMBUSTIBLE METAL ROOFING
- MT-83 2"X4 COMBUSTIBLE METAL ROOFING
- MT-84 2"X4 COMBUSTIBLE METAL ROOFING
- MT-85 2"X4 COMBUSTIBLE METAL ROOFING
- MT-86 2"X4 COMBUSTIBLE METAL ROOFING
- MT-87 2"X4 COMBUSTIBLE METAL ROOFING
- MT-88 2"X4 COMBUSTIBLE METAL ROOFING
- MT-89 2"X4 COMBUSTIBLE METAL ROOFING
- MT-90 2"X4 COMBUSTIBLE METAL ROOFING
- MT-91 2"X4 COMBUSTIBLE METAL ROOFING
- MT-92 2"X4 COMBUSTIBLE METAL ROOFING
- MT-93 2"X4 COMBUSTIBLE METAL ROOFING
- MT-94 2"X4 COMBUSTIBLE METAL ROOFING
- MT-95 2"X4 COMBUSTIBLE METAL ROOFING
- MT-96 2"X4 COMBUSTIBLE METAL ROOFING
- MT-97 2"X4 COMBUSTIBLE METAL ROOFING
- MT-98 2"X4 COMBUSTIBLE METAL ROOFING
- MT-99 2"X4 COMBUSTIBLE METAL ROOFING
- MT-100 2"X4 COMBUSTIBLE METAL ROOFING


## NOTES:

1. SEE MATERIAL SCHEDULE FOR ADDITIONAL INFORMATION
2. BUILDING ENVELOPE TO BE 1 HOUR FIRE



2 MARKETPLACE SECTION

SCALE: 1/8" = 1'-0"



1 MARKETPLACE SECTION

SCALE: 1/8" = 1'-0"

THE KENWOOD RANCH WINERY

1180 GARDENWAY LANE  
REDMOOD, CALIFORNIA 94068



|              |                          |
|--------------|--------------------------|
| Project Name | THE KENWOOD RANCH WINERY |
| Client       | THE KENWOOD RANCH WINERY |
| Architect    | JOHN J. BROWN, ARCHITECT |
| Scale        | 1/8" = 1'-0"             |
| Date         | 10/10/00                 |
| Drawn By     | JOHN J. BROWN            |
| Checked By   | JOHN J. BROWN            |
| Project No.  | 1000000000               |
| Sheet No.    | 1000000000               |
| Sheet Title  | MARKETPLACE SECTION      |

SECTIONS  
MARKETPLACE

1/8" = 1'-0"


A3.13

# MATERIAL KEY:

- MT-1 2"X4 COMBINATION METAL ROOFING
- MT-2 2"X4 METAL SIDING AND CORNER
- MT-3 2"X4 METAL CEILING
- MT-4 2"X4 COMBINATION METAL SIDING
- MT-5 2"X4 COMBINATION METAL ROOFING
- MT-6 2"X4 COMBINATION METAL ROOFING
- MT-7 2"X4 COMBINATION METAL ROOFING
- MT-8 2"X4 COMBINATION METAL ROOFING
- MT-9 2"X4 COMBINATION METAL ROOFING
- MT-10 2"X4 COMBINATION METAL ROOFING
- MT-11 2"X4 COMBINATION METAL ROOFING
- MT-12 2"X4 COMBINATION METAL ROOFING
- MT-13 2"X4 COMBINATION METAL ROOFING
- MT-14 2"X4 COMBINATION METAL ROOFING
- MT-15 2"X4 COMBINATION METAL ROOFING
- MT-16 2"X4 COMBINATION METAL ROOFING
- MT-17 2"X4 COMBINATION METAL ROOFING
- MT-18 2"X4 COMBINATION METAL ROOFING
- MT-19 2"X4 COMBINATION METAL ROOFING
- MT-20 2"X4 COMBINATION METAL ROOFING
- MT-21 2"X4 COMBINATION METAL ROOFING
- MT-22 2"X4 COMBINATION METAL ROOFING
- MT-23 2"X4 COMBINATION METAL ROOFING
- MT-24 2"X4 COMBINATION METAL ROOFING
- MT-25 2"X4 COMBINATION METAL ROOFING
- MT-26 2"X4 COMBINATION METAL ROOFING
- MT-27 2"X4 COMBINATION METAL ROOFING
- MT-28 2"X4 COMBINATION METAL ROOFING
- MT-29 2"X4 COMBINATION METAL ROOFING
- MT-30 2"X4 COMBINATION METAL ROOFING
- MT-31 2"X4 COMBINATION METAL ROOFING
- MT-32 2"X4 COMBINATION METAL ROOFING
- MT-33 2"X4 COMBINATION METAL ROOFING
- MT-34 2"X4 COMBINATION METAL ROOFING
- MT-35 2"X4 COMBINATION METAL ROOFING
- MT-36 2"X4 COMBINATION METAL ROOFING
- MT-37 2"X4 COMBINATION METAL ROOFING
- MT-38 2"X4 COMBINATION METAL ROOFING
- MT-39 2"X4 COMBINATION METAL ROOFING
- MT-40 2"X4 COMBINATION METAL ROOFING
- MT-41 2"X4 COMBINATION METAL ROOFING
- MT-42 2"X4 COMBINATION METAL ROOFING
- MT-43 2"X4 COMBINATION METAL ROOFING
- MT-44 2"X4 COMBINATION METAL ROOFING
- MT-45 2"X4 COMBINATION METAL ROOFING
- MT-46 2"X4 COMBINATION METAL ROOFING
- MT-47 2"X4 COMBINATION METAL ROOFING
- MT-48 2"X4 COMBINATION METAL ROOFING
- MT-49 2"X4 COMBINATION METAL ROOFING
- MT-50 2"X4 COMBINATION METAL ROOFING
- MT-51 2"X4 COMBINATION METAL ROOFING
- MT-52 2"X4 COMBINATION METAL ROOFING
- MT-53 2"X4 COMBINATION METAL ROOFING
- MT-54 2"X4 COMBINATION METAL ROOFING
- MT-55 2"X4 COMBINATION METAL ROOFING
- MT-56 2"X4 COMBINATION METAL ROOFING
- MT-57 2"X4 COMBINATION METAL ROOFING
- MT-58 2"X4 COMBINATION METAL ROOFING
- MT-59 2"X4 COMBINATION METAL ROOFING
- MT-60 2"X4 COMBINATION METAL ROOFING
- MT-61 2"X4 COMBINATION METAL ROOFING
- MT-62 2"X4 COMBINATION METAL ROOFING
- MT-63 2"X4 COMBINATION METAL ROOFING
- MT-64 2"X4 COMBINATION METAL ROOFING
- MT-65 2"X4 COMBINATION METAL ROOFING
- MT-66 2"X4 COMBINATION METAL ROOFING
- MT-67 2"X4 COMBINATION METAL ROOFING
- MT-68 2"X4 COMBINATION METAL ROOFING
- MT-69 2"X4 COMBINATION METAL ROOFING
- MT-70 2"X4 COMBINATION METAL ROOFING
- MT-71 2"X4 COMBINATION METAL ROOFING
- MT-72 2"X4 COMBINATION METAL ROOFING
- MT-73 2"X4 COMBINATION METAL ROOFING
- MT-74 2"X4 COMBINATION METAL ROOFING
- MT-75 2"X4 COMBINATION METAL ROOFING
- MT-76 2"X4 COMBINATION METAL ROOFING
- MT-77 2"X4 COMBINATION METAL ROOFING
- MT-78 2"X4 COMBINATION METAL ROOFING
- MT-79 2"X4 COMBINATION METAL ROOFING
- MT-80 2"X4 COMBINATION METAL ROOFING
- MT-81 2"X4 COMBINATION METAL ROOFING
- MT-82 2"X4 COMBINATION METAL ROOFING
- MT-83 2"X4 COMBINATION METAL ROOFING
- MT-84 2"X4 COMBINATION METAL ROOFING
- MT-85 2"X4 COMBINATION METAL ROOFING
- MT-86 2"X4 COMBINATION METAL ROOFING
- MT-87 2"X4 COMBINATION METAL ROOFING
- MT-88 2"X4 COMBINATION METAL ROOFING
- MT-89 2"X4 COMBINATION METAL ROOFING
- MT-90 2"X4 COMBINATION METAL ROOFING
- MT-91 2"X4 COMBINATION METAL ROOFING
- MT-92 2"X4 COMBINATION METAL ROOFING
- MT-93 2"X4 COMBINATION METAL ROOFING
- MT-94 2"X4 COMBINATION METAL ROOFING
- MT-95 2"X4 COMBINATION METAL ROOFING
- MT-96 2"X4 COMBINATION METAL ROOFING
- MT-97 2"X4 COMBINATION METAL ROOFING
- MT-98 2"X4 COMBINATION METAL ROOFING
- MT-99 2"X4 COMBINATION METAL ROOFING
- MT-100 2"X4 COMBINATION METAL ROOFING


## NOTES:

1. SEE MATERIAL BARRIER FOR ADDITIONAL INFORMATION
2. BARRIER SPACING TO BE 1 HOUR FIRE




4 COVERED BREEZEWAY EAST - SOUTH ELEVATION

SCALE: 1/8" = 1'-0"




2 COVERED BREEZEWAY EAST - NORTH ELEVATION




3 COVERED BREEZEWAY EAST - WEST ELEVATION

SCALE: 1/8" = 1'-0"



1 COVERED BREEZEWAY EAST - EAST ELEVATION



THE KENWOOD RANCH WINERY

1180 CAMPBELL AVE  
REDMOND, CALIFORNIA 96076



|             |                           |
|-------------|---------------------------|
| Project No. | 1180                      |
| Client      | THE KENWOOD RANCH WINERY  |
| Architect   | JOHN H. HARRIS, ARCHITECT |
| Date        | 11/11/11                  |
| Scale       | 1/8" = 1'-0"              |
| Notes       |                           |

ELEVATIONS  
COVERED  
BREEZEWAY  
EAST


SCALE: 1/8" = 1'-0"

A3.14


# MATERIAL KEY:

MT-1 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-2 2"X4 INSULATED METAL ROOFING  
 MT-3 2"X4 STEEL DECK  
 MT-4 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-5 2"X4 STEEL DECK  
 MT-6 2"X4 INSULATED METAL ROOFING  
 MT-7 2"X4 STEEL DECK  
 MT-8 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-9 2"X4 STEEL DECK  
 MT-10 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-11 2"X4 STEEL DECK  
 MT-12 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-13 2"X4 STEEL DECK  
 MT-14 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-15 2"X4 STEEL DECK  
 MT-16 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-17 2"X4 STEEL DECK  
 MT-18 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-19 2"X4 STEEL DECK  
 MT-20 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-21 2"X4 STEEL DECK  
 MT-22 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-23 2"X4 STEEL DECK  
 MT-24 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-25 2"X4 STEEL DECK  
 MT-26 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-27 2"X4 STEEL DECK  
 MT-28 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-29 2"X4 STEEL DECK  
 MT-30 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-31 2"X4 STEEL DECK  
 MT-32 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-33 2"X4 STEEL DECK  
 MT-34 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-35 2"X4 STEEL DECK  
 MT-36 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-37 2"X4 STEEL DECK  
 MT-38 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-39 2"X4 STEEL DECK  
 MT-40 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-41 2"X4 STEEL DECK  
 MT-42 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-43 2"X4 STEEL DECK  
 MT-44 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-45 2"X4 STEEL DECK  
 MT-46 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-47 2"X4 STEEL DECK  
 MT-48 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-49 2"X4 STEEL DECK  
 MT-50 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-51 2"X4 STEEL DECK  
 MT-52 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-53 2"X4 STEEL DECK  
 MT-54 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-55 2"X4 STEEL DECK  
 MT-56 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-57 2"X4 STEEL DECK  
 MT-58 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-59 2"X4 STEEL DECK  
 MT-60 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-61 2"X4 STEEL DECK  
 MT-62 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-63 2"X4 STEEL DECK  
 MT-64 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-65 2"X4 STEEL DECK  
 MT-66 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-67 2"X4 STEEL DECK  
 MT-68 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-69 2"X4 STEEL DECK  
 MT-70 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-71 2"X4 STEEL DECK  
 MT-72 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-73 2"X4 STEEL DECK  
 MT-74 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-75 2"X4 STEEL DECK  
 MT-76 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-77 2"X4 STEEL DECK  
 MT-78 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-79 2"X4 STEEL DECK  
 MT-80 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-81 2"X4 STEEL DECK  
 MT-82 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-83 2"X4 STEEL DECK  
 MT-84 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-85 2"X4 STEEL DECK  
 MT-86 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-87 2"X4 STEEL DECK  
 MT-88 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-89 2"X4 STEEL DECK  
 MT-90 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-91 2"X4 STEEL DECK  
 MT-92 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-93 2"X4 STEEL DECK  
 MT-94 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-95 2"X4 STEEL DECK  
 MT-96 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-97 2"X4 STEEL DECK  
 MT-98 2"X4 COMBUSTIBLE METAL ROOFING  
 MT-99 2"X4 STEEL DECK  
 MT-100 2"X4 COMBUSTIBLE METAL ROOFING


NOTES:  
 1. SEE MATERIAL BARRIER FOR ADDITIONAL INFORMATION  
 2. BARRIER SPACING TO BE 1 HOUR FIRE




4 COVERED BREEZEWAY WEST - SOUTH ELEVATION  
 SCALE: 1/8" = 1'-0"



2 COVERED BREEZEWAY WEST - NORTH ELEVATION  
 SCALE: 1/8" = 1'-0"



3 COVERED BREEZEWAY WEST - WEST ELEVATION  
 SCALE: 1/8" = 1'-0"



1 COVERED BREEZEWAY WEST - EAST ELEVATION  
 SCALE: 1/8" = 1'-0"



THE KENWOOD RANCH  
 WINERY  
 1100 CAMPBELL AVE  
 REMEDIO, CALIFORNIA 94574



|                              |                          |
|------------------------------|--------------------------|
| Project Name                 | THE KENWOOD RANCH WINERY |
| Client                       | THE KENWOOD RANCH WINERY |
| Architect                    | THE KENWOOD RANCH WINERY |
| Engineer                     | THE KENWOOD RANCH WINERY |
| Interior Designer            | THE KENWOOD RANCH WINERY |
| Landscaper                   | THE KENWOOD RANCH WINERY |
| Structural Engineer          | THE KENWOOD RANCH WINERY |
| Electrical Engineer          | THE KENWOOD RANCH WINERY |
| Mechanical Engineer          | THE KENWOOD RANCH WINERY |
| Plumbing Engineer            | THE KENWOOD RANCH WINERY |
| Fire Protection Engineer     | THE KENWOOD RANCH WINERY |
| Environmental Engineer       | THE KENWOOD RANCH WINERY |
| Transportation Engineer      | THE KENWOOD RANCH WINERY |
| Water Resources Engineer     | THE KENWOOD RANCH WINERY |
| Energy Engineer              | THE KENWOOD RANCH WINERY |
| Health, Safety & Environment | THE KENWOOD RANCH WINERY |
| Construction Management      | THE KENWOOD RANCH WINERY |
| Construction Inspection      | THE KENWOOD RANCH WINERY |
| Construction Administration  | THE KENWOOD RANCH WINERY |
| Construction Management      | THE KENWOOD RANCH WINERY |
| Construction Inspection      | THE KENWOOD RANCH WINERY |
| Construction Administration  | THE KENWOOD RANCH WINERY |

ELEVATIONS  
 COVERED  
 BREEZEWAY  
 WEST

SCALE: 1/8" = 1'-0"

A3.15



# MATERIAL KEY:

SFT-1 2"X4 COMPACTED WITH TOPPING  
 SFT-2 2"X4 INSIDE AND CORNER  
 SFT-3 2"X4 TOP COLUMN  
 SFT-4 2"X4 COMPACTED METAL JOIST  
 SFT-5 2"X4 BRIDGE JOIST  
 SFT-6 2"X4 INSIDE METAL JOIST  
 SFT-7 2"X4 INSIDE METAL JOIST  
 SFT-8 2"X4 INSIDE METAL JOIST

## NOTES:

1. SEE METEOROLOGICAL INFORMATION
2. BUILDING SPECIFICATIONS TO BE 1 HOUR FIRE

THE KENWOOD RANCH WINERY

THE KENWOOD RANCH WINERY

1100 GANGESHALL LANE  
REDAWOOD, CALIFORNIA 96080




|                          |                          |
|--------------------------|--------------------------|
| Project Name             | THE KENWOOD RANCH WINERY |
| Client Name              | THE KENWOOD RANCH WINERY |
| Project No.              | 10000                    |
| Date                     | 10/10/10                 |
| Drawn By                 | JOHN H. HARRIS           |
| Checked By               | JOHN H. HARRIS           |
| Project Manager          | JOHN H. HARRIS           |
| Architect                | JOHN H. HARRIS           |
| Engineer                 | JOHN H. HARRIS           |
| Structural Engineer      | JOHN H. HARRIS           |
| Electrical Engineer      | JOHN H. HARRIS           |
| Mechanical Engineer      | JOHN H. HARRIS           |
| Plumbing Engineer        | JOHN H. HARRIS           |
| Fire Protection Engineer | JOHN H. HARRIS           |
| Other                    |                          |

SECTIONS COVERED BREEZEWAY


SCALE: 1/4" = 1'-0"


A3.16



1 COVERED BREEZEWAY - CROSS SECTION


SCALE: 1/4" = 1'-0"





2 FERMENTATION - NORTH ELEVATION

SCALE: 1/8" = 1'-0"



1 FERMENTATION - EAST ELEVATION

SCALE: 1/8" = 1'-0"

# MATERIAL KEY:

- MT-1 10" CORRUGATED METAL ROOFING
- MT-2 10" CORRUGATED METAL ROOFING
- MT-3 10" CORRUGATED METAL ROOFING
- MT-4 10" CORRUGATED METAL ROOFING
- MT-5 10" CORRUGATED METAL ROOFING
- MT-6 10" CORRUGATED METAL ROOFING
- MT-7 10" CORRUGATED METAL ROOFING
- MT-8 10" CORRUGATED METAL ROOFING
- MT-9 10" CORRUGATED METAL ROOFING
- MT-10 10" CORRUGATED METAL ROOFING
- MT-11 10" CORRUGATED METAL ROOFING
- MT-12 10" CORRUGATED METAL ROOFING
- MT-13 10" CORRUGATED METAL ROOFING
- MT-14 10" CORRUGATED METAL ROOFING
- MT-15 10" CORRUGATED METAL ROOFING
- MT-16 10" CORRUGATED METAL ROOFING
- MT-17 10" CORRUGATED METAL ROOFING
- MT-18 10" CORRUGATED METAL ROOFING
- MT-19 10" CORRUGATED METAL ROOFING
- MT-20 10" CORRUGATED METAL ROOFING
- MT-21 10" CORRUGATED METAL ROOFING
- MT-22 10" CORRUGATED METAL ROOFING
- MT-23 10" CORRUGATED METAL ROOFING
- MT-24 10" CORRUGATED METAL ROOFING
- MT-25 10" CORRUGATED METAL ROOFING
- MT-26 10" CORRUGATED METAL ROOFING
- MT-27 10" CORRUGATED METAL ROOFING
- MT-28 10" CORRUGATED METAL ROOFING
- MT-29 10" CORRUGATED METAL ROOFING
- MT-30 10" CORRUGATED METAL ROOFING
- MT-31 10" CORRUGATED METAL ROOFING
- MT-32 10" CORRUGATED METAL ROOFING
- MT-33 10" CORRUGATED METAL ROOFING
- MT-34 10" CORRUGATED METAL ROOFING
- MT-35 10" CORRUGATED METAL ROOFING
- MT-36 10" CORRUGATED METAL ROOFING
- MT-37 10" CORRUGATED METAL ROOFING
- MT-38 10" CORRUGATED METAL ROOFING
- MT-39 10" CORRUGATED METAL ROOFING
- MT-40 10" CORRUGATED METAL ROOFING
- MT-41 10" CORRUGATED METAL ROOFING
- MT-42 10" CORRUGATED METAL ROOFING
- MT-43 10" CORRUGATED METAL ROOFING
- MT-44 10" CORRUGATED METAL ROOFING
- MT-45 10" CORRUGATED METAL ROOFING
- MT-46 10" CORRUGATED METAL ROOFING
- MT-47 10" CORRUGATED METAL ROOFING
- MT-48 10" CORRUGATED METAL ROOFING
- MT-49 10" CORRUGATED METAL ROOFING
- MT-50 10" CORRUGATED METAL ROOFING
- MT-51 10" CORRUGATED METAL ROOFING
- MT-52 10" CORRUGATED METAL ROOFING
- MT-53 10" CORRUGATED METAL ROOFING
- MT-54 10" CORRUGATED METAL ROOFING
- MT-55 10" CORRUGATED METAL ROOFING
- MT-56 10" CORRUGATED METAL ROOFING
- MT-57 10" CORRUGATED METAL ROOFING
- MT-58 10" CORRUGATED METAL ROOFING
- MT-59 10" CORRUGATED METAL ROOFING
- MT-60 10" CORRUGATED METAL ROOFING
- MT-61 10" CORRUGATED METAL ROOFING
- MT-62 10" CORRUGATED METAL ROOFING
- MT-63 10" CORRUGATED METAL ROOFING
- MT-64 10" CORRUGATED METAL ROOFING
- MT-65 10" CORRUGATED METAL ROOFING
- MT-66 10" CORRUGATED METAL ROOFING
- MT-67 10" CORRUGATED METAL ROOFING
- MT-68 10" CORRUGATED METAL ROOFING
- MT-69 10" CORRUGATED METAL ROOFING
- MT-70 10" CORRUGATED METAL ROOFING
- MT-71 10" CORRUGATED METAL ROOFING
- MT-72 10" CORRUGATED METAL ROOFING
- MT-73 10" CORRUGATED METAL ROOFING
- MT-74 10" CORRUGATED METAL ROOFING
- MT-75 10" CORRUGATED METAL ROOFING
- MT-76 10" CORRUGATED METAL ROOFING
- MT-77 10" CORRUGATED METAL ROOFING
- MT-78 10" CORRUGATED METAL ROOFING
- MT-79 10" CORRUGATED METAL ROOFING
- MT-80 10" CORRUGATED METAL ROOFING
- MT-81 10" CORRUGATED METAL ROOFING
- MT-82 10" CORRUGATED METAL ROOFING
- MT-83 10" CORRUGATED METAL ROOFING
- MT-84 10" CORRUGATED METAL ROOFING
- MT-85 10" CORRUGATED METAL ROOFING
- MT-86 10" CORRUGATED METAL ROOFING
- MT-87 10" CORRUGATED METAL ROOFING
- MT-88 10" CORRUGATED METAL ROOFING
- MT-89 10" CORRUGATED METAL ROOFING
- MT-90 10" CORRUGATED METAL ROOFING
- MT-91 10" CORRUGATED METAL ROOFING
- MT-92 10" CORRUGATED METAL ROOFING
- MT-93 10" CORRUGATED METAL ROOFING
- MT-94 10" CORRUGATED METAL ROOFING
- MT-95 10" CORRUGATED METAL ROOFING
- MT-96 10" CORRUGATED METAL ROOFING
- MT-97 10" CORRUGATED METAL ROOFING
- MT-98 10" CORRUGATED METAL ROOFING
- MT-99 10" CORRUGATED METAL ROOFING
- MT-100 10" CORRUGATED METAL ROOFING

## NOTES:

- SEE MATERIAL BARRIER FOR ADDITIONAL INFORMATION
- BUILDING SHALL BE TO BE 1 HOUR FIRE RATED

THE KENWOOD RANCH  
WINERY

1180 CAMPBELL LANE  
REDMOOD, CALIFORNIA 94068



Project Name: THE KENWOOD RANCH WINERY  
Client: KENWOOD RANCH  
Architect: J. J. JENSEN  
Scale: 1/8" = 1'-0"

ELEVATIONS  
FERMENTATION

1/8" = 1'-0"


A3.20

# MATERIAL KEY:

- MT-1 12" CORRUGATED METAL ROOFING
- MT-2 24" WIDE CORRUGATED METAL ROOFING
- MT-3 24" WIDE CORRUGATED METAL ROOFING
- MT-4 12" CORRUGATED METAL ROOFING
- MT-5 24" WIDE CORRUGATED METAL ROOFING
- MT-6 24" WIDE CORRUGATED METAL ROOFING
- MT-7 24" WIDE CORRUGATED METAL ROOFING
- MT-8 24" WIDE CORRUGATED METAL ROOFING
- MT-9 24" WIDE CORRUGATED METAL ROOFING
- MT-10 24" WIDE CORRUGATED METAL ROOFING
- MT-11 24" WIDE CORRUGATED METAL ROOFING
- MT-12 24" WIDE CORRUGATED METAL ROOFING
- MT-13 24" WIDE CORRUGATED METAL ROOFING
- MT-14 24" WIDE CORRUGATED METAL ROOFING
- MT-15 24" WIDE CORRUGATED METAL ROOFING
- MT-16 24" WIDE CORRUGATED METAL ROOFING
- MT-17 24" WIDE CORRUGATED METAL ROOFING
- MT-18 24" WIDE CORRUGATED METAL ROOFING
- MT-19 24" WIDE CORRUGATED METAL ROOFING
- MT-20 24" WIDE CORRUGATED METAL ROOFING
- MT-21 24" WIDE CORRUGATED METAL ROOFING
- MT-22 24" WIDE CORRUGATED METAL ROOFING
- MT-23 24" WIDE CORRUGATED METAL ROOFING
- MT-24 24" WIDE CORRUGATED METAL ROOFING
- MT-25 24" WIDE CORRUGATED METAL ROOFING
- MT-26 24" WIDE CORRUGATED METAL ROOFING
- MT-27 24" WIDE CORRUGATED METAL ROOFING
- MT-28 24" WIDE CORRUGATED METAL ROOFING
- MT-29 24" WIDE CORRUGATED METAL ROOFING
- MT-30 24" WIDE CORRUGATED METAL ROOFING
- MT-31 24" WIDE CORRUGATED METAL ROOFING
- MT-32 24" WIDE CORRUGATED METAL ROOFING
- MT-33 24" WIDE CORRUGATED METAL ROOFING
- MT-34 24" WIDE CORRUGATED METAL ROOFING
- MT-35 24" WIDE CORRUGATED METAL ROOFING
- MT-36 24" WIDE CORRUGATED METAL ROOFING
- MT-37 24" WIDE CORRUGATED METAL ROOFING
- MT-38 24" WIDE CORRUGATED METAL ROOFING
- MT-39 24" WIDE CORRUGATED METAL ROOFING
- MT-40 24" WIDE CORRUGATED METAL ROOFING
- MT-41 24" WIDE CORRUGATED METAL ROOFING
- MT-42 24" WIDE CORRUGATED METAL ROOFING
- MT-43 24" WIDE CORRUGATED METAL ROOFING
- MT-44 24" WIDE CORRUGATED METAL ROOFING
- MT-45 24" WIDE CORRUGATED METAL ROOFING
- MT-46 24" WIDE CORRUGATED METAL ROOFING
- MT-47 24" WIDE CORRUGATED METAL ROOFING
- MT-48 24" WIDE CORRUGATED METAL ROOFING
- MT-49 24" WIDE CORRUGATED METAL ROOFING
- MT-50 24" WIDE CORRUGATED METAL ROOFING
- MT-51 24" WIDE CORRUGATED METAL ROOFING
- MT-52 24" WIDE CORRUGATED METAL ROOFING
- MT-53 24" WIDE CORRUGATED METAL ROOFING
- MT-54 24" WIDE CORRUGATED METAL ROOFING
- MT-55 24" WIDE CORRUGATED METAL ROOFING
- MT-56 24" WIDE CORRUGATED METAL ROOFING
- MT-57 24" WIDE CORRUGATED METAL ROOFING
- MT-58 24" WIDE CORRUGATED METAL ROOFING
- MT-59 24" WIDE CORRUGATED METAL ROOFING
- MT-60 24" WIDE CORRUGATED METAL ROOFING
- MT-61 24" WIDE CORRUGATED METAL ROOFING
- MT-62 24" WIDE CORRUGATED METAL ROOFING
- MT-63 24" WIDE CORRUGATED METAL ROOFING
- MT-64 24" WIDE CORRUGATED METAL ROOFING
- MT-65 24" WIDE CORRUGATED METAL ROOFING
- MT-66 24" WIDE CORRUGATED METAL ROOFING
- MT-67 24" WIDE CORRUGATED METAL ROOFING
- MT-68 24" WIDE CORRUGATED METAL ROOFING
- MT-69 24" WIDE CORRUGATED METAL ROOFING
- MT-70 24" WIDE CORRUGATED METAL ROOFING
- MT-71 24" WIDE CORRUGATED METAL ROOFING
- MT-72 24" WIDE CORRUGATED METAL ROOFING
- MT-73 24" WIDE CORRUGATED METAL ROOFING
- MT-74 24" WIDE CORRUGATED METAL ROOFING
- MT-75 24" WIDE CORRUGATED METAL ROOFING
- MT-76 24" WIDE CORRUGATED METAL ROOFING
- MT-77 24" WIDE CORRUGATED METAL ROOFING
- MT-78 24" WIDE CORRUGATED METAL ROOFING
- MT-79 24" WIDE CORRUGATED METAL ROOFING
- MT-80 24" WIDE CORRUGATED METAL ROOFING
- MT-81 24" WIDE CORRUGATED METAL ROOFING
- MT-82 24" WIDE CORRUGATED METAL ROOFING
- MT-83 24" WIDE CORRUGATED METAL ROOFING
- MT-84 24" WIDE CORRUGATED METAL ROOFING
- MT-85 24" WIDE CORRUGATED METAL ROOFING
- MT-86 24" WIDE CORRUGATED METAL ROOFING
- MT-87 24" WIDE CORRUGATED METAL ROOFING
- MT-88 24" WIDE CORRUGATED METAL ROOFING
- MT-89 24" WIDE CORRUGATED METAL ROOFING
- MT-90 24" WIDE CORRUGATED METAL ROOFING
- MT-91 24" WIDE CORRUGATED METAL ROOFING
- MT-92 24" WIDE CORRUGATED METAL ROOFING
- MT-93 24" WIDE CORRUGATED METAL ROOFING
- MT-94 24" WIDE CORRUGATED METAL ROOFING
- MT-95 24" WIDE CORRUGATED METAL ROOFING
- MT-96 24" WIDE CORRUGATED METAL ROOFING
- MT-97 24" WIDE CORRUGATED METAL ROOFING
- MT-98 24" WIDE CORRUGATED METAL ROOFING
- MT-99 24" WIDE CORRUGATED METAL ROOFING
- MT-100 24" WIDE CORRUGATED METAL ROOFING


## NOTES:

1. SEE MATERIAL SCHEDULE FOR ADDITIONAL INFORMATION
2. BUILDING ENVELOPE TO BE 1 HOUR FIRE



2 FERMENTATION - SOUTH ELEVATION

SCALE: 1/8" = 1'-0"



1 FERMENTATION - WEST ELEVATION

SCALE: 1/8" = 1'-0"

BACKIN A BAKEN

THE KENWOOD RANCH WINERY

1180 CAMPBELL LANE  
REINWOOD, CALIFORNIA 95068



|                         |                          |
|-------------------------|--------------------------|
| Project No.             | 1180                     |
| Client Name             | THE KENWOOD RANCH WINERY |
| Project Name            | THE KENWOOD RANCH WINERY |
| Date                    | 11/11/11                 |
| Drawn By                | ARCHITECT                |
| Checked By              | ARCHITECT                |
| Project Manager         | ARCHITECT                |
| Project Engineer        | ARCHITECT                |
| Project Architect       | ARCHITECT                |
| Project Designer        | ARCHITECT                |
| Project Draftsman       | ARCHITECT                |
| Project Detailer        | ARCHITECT                |
| Project Finisher        | ARCHITECT                |
| Project Installer       | ARCHITECT                |
| Project Maintainer      | ARCHITECT                |
| Project Operator        | ARCHITECT                |
| Project Supervisor      | ARCHITECT                |
| Project Coordinator     | ARCHITECT                |
| Project Assistant       | ARCHITECT                |
| Project Secretary       | ARCHITECT                |
| Project Receptionist    | ARCHITECT                |
| Project Cleaner         | ARCHITECT                |
| Project Janitor         | ARCHITECT                |
| Project Security Guard  | ARCHITECT                |
| Project Driver          | ARCHITECT                |
| Project Mail Carrier    | ARCHITECT                |
| Project Delivery Person | ARCHITECT                |
| Project Installer       | ARCHITECT                |
| Project Maintainer      | ARCHITECT                |
| Project Operator        | ARCHITECT                |
| Project Supervisor      | ARCHITECT                |
| Project Coordinator     | ARCHITECT                |
| Project Assistant       | ARCHITECT                |
| Project Secretary       | ARCHITECT                |
| Project Receptionist    | ARCHITECT                |
| Project Cleaner         | ARCHITECT                |
| Project Janitor         | ARCHITECT                |
| Project Security Guard  | ARCHITECT                |
| Project Driver          | ARCHITECT                |
| Project Mail Carrier    | ARCHITECT                |
| Project Delivery Person | ARCHITECT                |

ELEVATIONS  
FERMENTATION

1/8" = 1'-0"


A3.21

# MATERIAL KEY:

- MT-1 2"X4 COMBUSTIBLE METAL ROOFING
- MT-2 2"X4 COMBUSTIBLE METAL ROOFING
- MT-3 2"X4 COMBUSTIBLE METAL ROOFING
- MT-4 2"X4 COMBUSTIBLE METAL ROOFING
- MT-5 2"X4 COMBUSTIBLE METAL ROOFING
- MT-6 2"X4 COMBUSTIBLE METAL ROOFING
- MT-7 2"X4 COMBUSTIBLE METAL ROOFING
- MT-8 2"X4 COMBUSTIBLE METAL ROOFING
- MT-9 2"X4 COMBUSTIBLE METAL ROOFING
- MT-10 2"X4 COMBUSTIBLE METAL ROOFING
- MT-11 2"X4 COMBUSTIBLE METAL ROOFING
- MT-12 2"X4 COMBUSTIBLE METAL ROOFING
- MT-13 2"X4 COMBUSTIBLE METAL ROOFING
- MT-14 2"X4 COMBUSTIBLE METAL ROOFING
- MT-15 2"X4 COMBUSTIBLE METAL ROOFING
- MT-16 2"X4 COMBUSTIBLE METAL ROOFING
- MT-17 2"X4 COMBUSTIBLE METAL ROOFING
- MT-18 2"X4 COMBUSTIBLE METAL ROOFING
- MT-19 2"X4 COMBUSTIBLE METAL ROOFING
- MT-20 2"X4 COMBUSTIBLE METAL ROOFING
- MT-21 2"X4 COMBUSTIBLE METAL ROOFING
- MT-22 2"X4 COMBUSTIBLE METAL ROOFING
- MT-23 2"X4 COMBUSTIBLE METAL ROOFING
- MT-24 2"X4 COMBUSTIBLE METAL ROOFING
- MT-25 2"X4 COMBUSTIBLE METAL ROOFING
- MT-26 2"X4 COMBUSTIBLE METAL ROOFING
- MT-27 2"X4 COMBUSTIBLE METAL ROOFING
- MT-28 2"X4 COMBUSTIBLE METAL ROOFING
- MT-29 2"X4 COMBUSTIBLE METAL ROOFING
- MT-30 2"X4 COMBUSTIBLE METAL ROOFING
- MT-31 2"X4 COMBUSTIBLE METAL ROOFING
- MT-32 2"X4 COMBUSTIBLE METAL ROOFING
- MT-33 2"X4 COMBUSTIBLE METAL ROOFING
- MT-34 2"X4 COMBUSTIBLE METAL ROOFING
- MT-35 2"X4 COMBUSTIBLE METAL ROOFING
- MT-36 2"X4 COMBUSTIBLE METAL ROOFING
- MT-37 2"X4 COMBUSTIBLE METAL ROOFING
- MT-38 2"X4 COMBUSTIBLE METAL ROOFING
- MT-39 2"X4 COMBUSTIBLE METAL ROOFING
- MT-40 2"X4 COMBUSTIBLE METAL ROOFING
- MT-41 2"X4 COMBUSTIBLE METAL ROOFING
- MT-42 2"X4 COMBUSTIBLE METAL ROOFING
- MT-43 2"X4 COMBUSTIBLE METAL ROOFING
- MT-44 2"X4 COMBUSTIBLE METAL ROOFING
- MT-45 2"X4 COMBUSTIBLE METAL ROOFING
- MT-46 2"X4 COMBUSTIBLE METAL ROOFING
- MT-47 2"X4 COMBUSTIBLE METAL ROOFING
- MT-48 2"X4 COMBUSTIBLE METAL ROOFING
- MT-49 2"X4 COMBUSTIBLE METAL ROOFING
- MT-50 2"X4 COMBUSTIBLE METAL ROOFING
- MT-51 2"X4 COMBUSTIBLE METAL ROOFING
- MT-52 2"X4 COMBUSTIBLE METAL ROOFING
- MT-53 2"X4 COMBUSTIBLE METAL ROOFING
- MT-54 2"X4 COMBUSTIBLE METAL ROOFING
- MT-55 2"X4 COMBUSTIBLE METAL ROOFING
- MT-56 2"X4 COMBUSTIBLE METAL ROOFING
- MT-57 2"X4 COMBUSTIBLE METAL ROOFING
- MT-58 2"X4 COMBUSTIBLE METAL ROOFING
- MT-59 2"X4 COMBUSTIBLE METAL ROOFING
- MT-60 2"X4 COMBUSTIBLE METAL ROOFING
- MT-61 2"X4 COMBUSTIBLE METAL ROOFING
- MT-62 2"X4 COMBUSTIBLE METAL ROOFING
- MT-63 2"X4 COMBUSTIBLE METAL ROOFING
- MT-64 2"X4 COMBUSTIBLE METAL ROOFING
- MT-65 2"X4 COMBUSTIBLE METAL ROOFING
- MT-66 2"X4 COMBUSTIBLE METAL ROOFING
- MT-67 2"X4 COMBUSTIBLE METAL ROOFING
- MT-68 2"X4 COMBUSTIBLE METAL ROOFING
- MT-69 2"X4 COMBUSTIBLE METAL ROOFING
- MT-70 2"X4 COMBUSTIBLE METAL ROOFING
- MT-71 2"X4 COMBUSTIBLE METAL ROOFING
- MT-72 2"X4 COMBUSTIBLE METAL ROOFING
- MT-73 2"X4 COMBUSTIBLE METAL ROOFING
- MT-74 2"X4 COMBUSTIBLE METAL ROOFING
- MT-75 2"X4 COMBUSTIBLE METAL ROOFING
- MT-76 2"X4 COMBUSTIBLE METAL ROOFING
- MT-77 2"X4 COMBUSTIBLE METAL ROOFING
- MT-78 2"X4 COMBUSTIBLE METAL ROOFING
- MT-79 2"X4 COMBUSTIBLE METAL ROOFING
- MT-80 2"X4 COMBUSTIBLE METAL ROOFING
- MT-81 2"X4 COMBUSTIBLE METAL ROOFING
- MT-82 2"X4 COMBUSTIBLE METAL ROOFING
- MT-83 2"X4 COMBUSTIBLE METAL ROOFING
- MT-84 2"X4 COMBUSTIBLE METAL ROOFING
- MT-85 2"X4 COMBUSTIBLE METAL ROOFING
- MT-86 2"X4 COMBUSTIBLE METAL ROOFING
- MT-87 2"X4 COMBUSTIBLE METAL ROOFING
- MT-88 2"X4 COMBUSTIBLE METAL ROOFING
- MT-89 2"X4 COMBUSTIBLE METAL ROOFING
- MT-90 2"X4 COMBUSTIBLE METAL ROOFING
- MT-91 2"X4 COMBUSTIBLE METAL ROOFING
- MT-92 2"X4 COMBUSTIBLE METAL ROOFING
- MT-93 2"X4 COMBUSTIBLE METAL ROOFING
- MT-94 2"X4 COMBUSTIBLE METAL ROOFING
- MT-95 2"X4 COMBUSTIBLE METAL ROOFING
- MT-96 2"X4 COMBUSTIBLE METAL ROOFING
- MT-97 2"X4 COMBUSTIBLE METAL ROOFING
- MT-98 2"X4 COMBUSTIBLE METAL ROOFING
- MT-99 2"X4 COMBUSTIBLE METAL ROOFING
- MT-100 2"X4 COMBUSTIBLE METAL ROOFING


## NOTES:

- SEE MATERIAL SCHEDULE FOR ADDITIONAL INFORMATION
- BUILDING SHALL BE TO BE 1 HOUR FIRE



2 FERMENTATION - CROSS SECTION @ BREEZE WAY

SCALE: 1/8" = 1'-0"



1 FERMENTATION - CROSS SECTION @ RED FERMENTATION

SCALE: 1/8" = 1'-0"



THE KENWOOD RANCH  
WINERY

1180 CAMPBELL AVE  
REDWOOD, CALIFORNIA 96074



|                       |                          |
|-----------------------|--------------------------|
| Project Name          | THE KENWOOD RANCH WINERY |
| Client                | THE KENWOOD RANCH WINERY |
| Architect             | ARCHITECT                |
| Scale                 | 1/8" = 1'-0"             |
| Date                  | 11/11/11                 |
| Drawn By              | ARCHITECT                |
| Checked By            | ARCHITECT                |
| Project No.           | 1180 CAMPBELL AVE        |
| Site No.              | 1180 CAMPBELL AVE        |
| Section No.           | 1180 CAMPBELL AVE        |
| Sheet No.             | 1180 CAMPBELL AVE        |
| Sheet Title           | 1180 CAMPBELL AVE        |
| Sheet Date            | 11/11/11                 |
| Sheet Author          | ARCHITECT                |
| Sheet Checker         | ARCHITECT                |
| Sheet Designer        | ARCHITECT                |
| Sheet Engineer        | ARCHITECT                |
| Sheet Architect       | ARCHITECT                |
| Sheet Structural      | ARCHITECT                |
| Sheet Mechanical      | ARCHITECT                |
| Sheet Electrical      | ARCHITECT                |
| Sheet Landscape       | ARCHITECT                |
| Sheet Civil           | ARCHITECT                |
| Sheet Environmental   | ARCHITECT                |
| Sheet Historical      | ARCHITECT                |
| Sheet Archaeological  | ARCHITECT                |
| Sheet Anthropological | ARCHITECT                |
| Sheet Ethnographic    | ARCHITECT                |
| Sheet Linguistic      | ARCHITECT                |
| Sheet Literary        | ARCHITECT                |
| Sheet Artistic        | ARCHITECT                |
| Sheet Scientific      | ARCHITECT                |
| Sheet Technological   | ARCHITECT                |
| Sheet Medical         | ARCHITECT                |
| Sheet Legal           | ARCHITECT                |
| Sheet Financial       | ARCHITECT                |
| Sheet Business        | ARCHITECT                |
| Sheet Social          | ARCHITECT                |
| Sheet Cultural        | ARCHITECT                |
| Sheet Religious       | ARCHITECT                |
| Sheet Political       | ARCHITECT                |
| Sheet Military        | ARCHITECT                |
| Sheet Maritime        | ARCHITECT                |
| Sheet Aeronautics     | ARCHITECT                |
| Sheet Space           | ARCHITECT                |
| Sheet Nuclear         | ARCHITECT                |
| Sheet Atomic          | ARCHITECT                |
| Sheet Energy          | ARCHITECT                |
| Sheet Environmental   | ARCHITECT                |
| Sheet Historical      | ARCHITECT                |
| Sheet Archaeological  | ARCHITECT                |
| Sheet Anthropological | ARCHITECT                |
| Sheet Ethnographic    | ARCHITECT                |
| Sheet Linguistic      | ARCHITECT                |
| Sheet Literary        | ARCHITECT                |
| Sheet Artistic        | ARCHITECT                |
| Sheet Scientific      | ARCHITECT                |
| Sheet Technological   | ARCHITECT                |
| Sheet Medical         | ARCHITECT                |
| Sheet Legal           | ARCHITECT                |
| Sheet Financial       | ARCHITECT                |
| Sheet Business        | ARCHITECT                |
| Sheet Social          | ARCHITECT                |
| Sheet Cultural        | ARCHITECT                |
| Sheet Religious       | ARCHITECT                |
| Sheet Political       | ARCHITECT                |
| Sheet Military        | ARCHITECT                |
| Sheet Maritime        | ARCHITECT                |
| Sheet Aeronautics     | ARCHITECT                |
| Sheet Space           | ARCHITECT                |
| Sheet Nuclear         | ARCHITECT                |
| Sheet Atomic          | ARCHITECT                |
| Sheet Energy          | ARCHITECT                |

SECTIONS  
FERMENTATION

1/8" = 1'-0"

A3.22






SCALE 1" = 1'-0"




1 FERMENTATION - CROSS SECTION @ RED FERMENTATION


**A3.23**




4 BARREL STORAGE EAST - WEST ELEVATION  
SCALE: 1/8" = 1'-0"



2 BARREL STORAGE EAST - SOUTH ELEVATION  
SCALE: 1/8" = 1'-0"




3 BARREL STORAGE EAST - EAST ELEVATION  
SCALE: 1/8" = 1'-0"



1 BARREL STORAGE EAST - NORTH ELEVATION  
SCALE: 1/8" = 1'-0"

**MATERIAL KEY:**

MT-1 2"X4 COMBUSTIBLE METAL ROOFING  
MT-2 2"X4 COMBUSTIBLE METAL ROOFING  
MT-3 2"X4 COMBUSTIBLE METAL ROOFING  
MT-4 2"X4 COMBUSTIBLE METAL ROOFING  
MT-5 2"X4 COMBUSTIBLE METAL ROOFING  
MT-6 2"X4 COMBUSTIBLE METAL ROOFING  
MT-7 2"X4 COMBUSTIBLE METAL ROOFING  
MT-8 2"X4 COMBUSTIBLE METAL ROOFING  
MT-9 2"X4 COMBUSTIBLE METAL ROOFING  
MT-10 2"X4 COMBUSTIBLE METAL ROOFING  
MT-11 2"X4 COMBUSTIBLE METAL ROOFING  
MT-12 2"X4 COMBUSTIBLE METAL ROOFING  
MT-13 2"X4 COMBUSTIBLE METAL ROOFING  
MT-14 2"X4 COMBUSTIBLE METAL ROOFING  
MT-15 2"X4 COMBUSTIBLE METAL ROOFING  
MT-16 2"X4 COMBUSTIBLE METAL ROOFING  
MT-17 2"X4 COMBUSTIBLE METAL ROOFING  
MT-18 2"X4 COMBUSTIBLE METAL ROOFING  
MT-19 2"X4 COMBUSTIBLE METAL ROOFING  
MT-20 2"X4 COMBUSTIBLE METAL ROOFING  
MT-21 2"X4 COMBUSTIBLE METAL ROOFING  
MT-22 2"X4 COMBUSTIBLE METAL ROOFING  
MT-23 2"X4 COMBUSTIBLE METAL ROOFING  
MT-24 2"X4 COMBUSTIBLE METAL ROOFING  
MT-25 2"X4 COMBUSTIBLE METAL ROOFING  
MT-26 2"X4 COMBUSTIBLE METAL ROOFING  
MT-27 2"X4 COMBUSTIBLE METAL ROOFING  
MT-28 2"X4 COMBUSTIBLE METAL ROOFING  
MT-29 2"X4 COMBUSTIBLE METAL ROOFING  
MT-30 2"X4 COMBUSTIBLE METAL ROOFING  
MT-31 2"X4 COMBUSTIBLE METAL ROOFING  
MT-32 2"X4 COMBUSTIBLE METAL ROOFING  
MT-33 2"X4 COMBUSTIBLE METAL ROOFING  
MT-34 2"X4 COMBUSTIBLE METAL ROOFING  
MT-35 2"X4 COMBUSTIBLE METAL ROOFING  
MT-36 2"X4 COMBUSTIBLE METAL ROOFING  
MT-37 2"X4 COMBUSTIBLE METAL ROOFING  
MT-38 2"X4 COMBUSTIBLE METAL ROOFING  
MT-39 2"X4 COMBUSTIBLE METAL ROOFING  
MT-40 2"X4 COMBUSTIBLE METAL ROOFING  
MT-41 2"X4 COMBUSTIBLE METAL ROOFING  
MT-42 2"X4 COMBUSTIBLE METAL ROOFING  
MT-43 2"X4 COMBUSTIBLE METAL ROOFING  
MT-44 2"X4 COMBUSTIBLE METAL ROOFING  
MT-45 2"X4 COMBUSTIBLE METAL ROOFING  
MT-46 2"X4 COMBUSTIBLE METAL ROOFING  
MT-47 2"X4 COMBUSTIBLE METAL ROOFING  
MT-48 2"X4 COMBUSTIBLE METAL ROOFING  
MT-49 2"X4 COMBUSTIBLE METAL ROOFING  
MT-50 2"X4 COMBUSTIBLE METAL ROOFING  
MT-51 2"X4 COMBUSTIBLE METAL ROOFING  
MT-52 2"X4 COMBUSTIBLE METAL ROOFING  
MT-53 2"X4 COMBUSTIBLE METAL ROOFING  
MT-54 2"X4 COMBUSTIBLE METAL ROOFING  
MT-55 2"X4 COMBUSTIBLE METAL ROOFING  
MT-56 2"X4 COMBUSTIBLE METAL ROOFING  
MT-57 2"X4 COMBUSTIBLE METAL ROOFING  
MT-58 2"X4 COMBUSTIBLE METAL ROOFING  
MT-59 2"X4 COMBUSTIBLE METAL ROOFING  
MT-60 2"X4 COMBUSTIBLE METAL ROOFING  
MT-61 2"X4 COMBUSTIBLE METAL ROOFING  
MT-62 2"X4 COMBUSTIBLE METAL ROOFING  
MT-63 2"X4 COMBUSTIBLE METAL ROOFING  
MT-64 2"X4 COMBUSTIBLE METAL ROOFING  
MT-65 2"X4 COMBUSTIBLE METAL ROOFING  
MT-66 2"X4 COMBUSTIBLE METAL ROOFING  
MT-67 2"X4 COMBUSTIBLE METAL ROOFING  
MT-68 2"X4 COMBUSTIBLE METAL ROOFING  
MT-69 2"X4 COMBUSTIBLE METAL ROOFING  
MT-70 2"X4 COMBUSTIBLE METAL ROOFING  
MT-71 2"X4 COMBUSTIBLE METAL ROOFING  
MT-72 2"X4 COMBUSTIBLE METAL ROOFING  
MT-73 2"X4 COMBUSTIBLE METAL ROOFING  
MT-74 2"X4 COMBUSTIBLE METAL ROOFING  
MT-75 2"X4 COMBUSTIBLE METAL ROOFING  
MT-76 2"X4 COMBUSTIBLE METAL ROOFING  
MT-77 2"X4 COMBUSTIBLE METAL ROOFING  
MT-78 2"X4 COMBUSTIBLE METAL ROOFING  
MT-79 2"X4 COMBUSTIBLE METAL ROOFING  
MT-80 2"X4 COMBUSTIBLE METAL ROOFING  
MT-81 2"X4 COMBUSTIBLE METAL ROOFING  
MT-82 2"X4 COMBUSTIBLE METAL ROOFING  
MT-83 2"X4 COMBUSTIBLE METAL ROOFING  
MT-84 2"X4 COMBUSTIBLE METAL ROOFING  
MT-85 2"X4 COMBUSTIBLE METAL ROOFING  
MT-86 2"X4 COMBUSTIBLE METAL ROOFING  
MT-87 2"X4 COMBUSTIBLE METAL ROOFING  
MT-88 2"X4 COMBUSTIBLE METAL ROOFING  
MT-89 2"X4 COMBUSTIBLE METAL ROOFING  
MT-90 2"X4 COMBUSTIBLE METAL ROOFING  
MT-91 2"X4 COMBUSTIBLE METAL ROOFING  
MT-92 2"X4 COMBUSTIBLE METAL ROOFING  
MT-93 2"X4 COMBUSTIBLE METAL ROOFING  
MT-94 2"X4 COMBUSTIBLE METAL ROOFING  
MT-95 2"X4 COMBUSTIBLE METAL ROOFING  
MT-96 2"X4 COMBUSTIBLE METAL ROOFING  
MT-97 2"X4 COMBUSTIBLE METAL ROOFING  
MT-98 2"X4 COMBUSTIBLE METAL ROOFING  
MT-99 2"X4 COMBUSTIBLE METAL ROOFING  
MT-100 2"X4 COMBUSTIBLE METAL ROOFING



THE KENWOOD RANCH  
WINERY  
1180 CAMPBELL AVE  
REDWOOD, CALIFORNIA 96075







|              |                          |
|--------------|--------------------------|
| Project Name | THE KENWOOD RANCH WINERY |
| Client       | THE KENWOOD RANCH WINERY |
| Architect    | ARCHITECT                |
| Scale        | 1/8" = 1'-0"             |
| Date         | 10/10/10                 |
| Drawn by     | ARCHITECT                |
| Checked by   | ARCHITECT                |
| Project No.  | 1000000000               |
| Sheet No.    | 1000000000               |
| Notes        |                          |

ELEVATIONS  
BARREL  
STORAGE  
EAST

SCALE: 1/8" = 1'-0"

A3.30



**MATERIAL KEY:**

MT-1 7/8" CORRUGATED MTL ROOFING  
MT-2 METAL WINDOWS AND DOORS  
MT-3 STEEL COLUMN  
MT-4 7/8" CORRUGATED METAL SIDING  
ST-1 STONE VENEER  
WD-1 STAINED VERTICAL WOOD SIDING  
WD-2 STAINED WOOD PLANK DOORS

NOTES

1. SEE MATERIAL BOARDS FOR ADDIT

2. BUILDING ENVELOPE TO BE A LIQUID

2. BUILDING ENVELOPE TO BE THROSA

---

THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]

ELEVATIONS  
BARREL  
STORAGE  
WEST

SCALE: 1/8" = 1'-0"

A3.31



1 BARREL STORAGE EAST - CROSS SECTION  
A3.32


SCALE: 1/8" = 1'-0"

NOTES:

1. SEE MATERIAL BOARDS FOR ADDITIONAL INFORMATION
2. BUILDING ENVELOPE TO BE 1 HOUR RATED

1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

ACCOUNTING | LAWYERS | MARKETING  
 STRATEGIES FOR GROWING BUSINESSES



1/8"=1'-0"


A3.32






### A3.40





SCALE: 1/8" = 1'-0"



SCALE: 1/8" = 1'-0"

THE KENWOOD RANCH  
WINERY

1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]

SECTIONS  
TASTING BLDG


SCALE: 1/8" = 1'-0"

A3.41

These documents are the property of Backen & Gillam Architects. Any unauthorized use without the written consent is prohibited by law. Backen & Gillam Architects disclaims responsibility for the documents if used whole or in part at any other location.



NOTES:  
1. SEE MATERIAL BOARDS FOR ADDITIONAL INFORMATION  
2. BUILDING ENVELOPE TO BE 1 HOUR RATED



THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]

ELEVATIONS  
OFFICE


SCALE: 1/8" = 1'-0"

### A3.50



2 OFFICE - CROSS SECTION

SCALE: 1/8" = 1'-0"



① OFFICE - CROSS SECTION

SCALE: 1/8" = 1'-0"

MATERIAL KEY:

|      |                              |
|------|------------------------------|
| MT-1 | 7/8" CORRUGATED MTL ROOFING  |
| MT-2 | METAL WINDOWS AND DOORS      |
| MT-3 | STEEL COLUMN                 |
| MT-4 | 7/8" CORRUGATED METAL SIDING |
| ST-1 | STONE VENEER                 |
| WD-1 | STAINED VERTICAL WOOD SIDING |
| WD-2 | STAINED WOOD PLANK DOORS     |

NOTES:

1. SEE MATERIAL BOARDS FOR ADDITIONAL INFORMATION
2. BUILDING ENVELOPE TO BE 1 HOUR RATED

THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]

SECTIONS  
OFFICE

SCALE: 1/8" = 1'-0"

A3.51









A3.61



# MATERIAL KEY:

- M-1 7/8" CORRUGATED METAL ROOFING
- M-2 METAL WINDOWS AND DOORS
- M-3 STEEL COLUMN
- M-4 7/8" CORRUGATED METAL SIDING
- ST-1 STONE VENEER
- WD-1 STAINED VERTICAL WOOD SIDING
- WD-2 STAINED WOOD PLANK DOORS

## NOTES:

- SEE MATERIAL BOARDS FOR ADDITIONAL INFORMATION
- BUILDING ENVELOPE TO BE 1 HOUR RATED

These documents are the property of BACKEN & BACKEN ARCHITECTS and are to be used only for the project and location specified. No part of these documents may be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from BACKEN & BACKEN ARCHITECTS.

**BACKEN & BACKEN**  
ARCHITECTS  
1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 94949  
TELEPHONE: 707-938-7500 FAX: 707-938-7501

## THE KENWOOD RANCH WINERY

1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 94949



|             |         |
|-------------|---------|
| Rev Date    | 6/26/22 |
| Drawn By    | CB      |
| Checked By  | CB      |
| Project No. | 2022-01 |
| Date        | 6/26/22 |
| Issue       | 1.00    |
| Issue       | 1.01    |
| Issue       | 1.02    |
| Issue       | 1.03    |
| Issue       | 1.04    |
| Issue       | 1.05    |
| Issue       | 1.06    |
| Issue       | 1.07    |
| Issue       | 1.08    |
| Issue       | 1.09    |
| Issue       | 1.10    |
| Issue       | 1.11    |
| Issue       | 1.12    |
| Issue       | 1.13    |
| Issue       | 1.14    |
| Issue       | 1.15    |
| Issue       | 1.16    |
| Issue       | 1.17    |
| Issue       | 1.18    |
| Issue       | 1.19    |
| Issue       | 1.20    |


## SECTIONS SERVICE BUILDING 1 & 2

SCALE: 1/8" = 1'-0"

**A3.62**

2  
A3.62

## SERVICE BLDG 1 - CROSS SECTION




- ROOF HEIGHT  
18'-3 3/4" AT 1/2"
- GARAGE DOOR HEAD  
10'-0" DATUM
- DOOR HEAD  
7'-0" DATUM
- SIDE WALKWAY F.F.  
1'-0" DATUM


SCALE: 1/8" = 1'-0"

1  
A3.62

## SERVICE BLDG 2 - LONGITUDINAL SECTION



- ROOF HEIGHT  
18'-3 3/4" AT 1/2"
- SIDE WALKWAY F.F.  
1'-0" DATUM



SCALE: 1/8" = 1'-0"

THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]


### WINERY WASTEWATER SHED ELEVATIONS

1/4"=1'-0"


### A3.90




1 WEST ELEVATION  
A3.90



2 NORTH ELEVATION  
A3.90






3 EAST ELEVATION  
A3.90



4 SOUTH ELEVATION



**NOTE:**  
PROVIDE SOUND ABSORPTIVE TREATMENT TO 33% MINIMUM OF THE SURFACE AREA OF THE WALLS AND CEILINGS OF THE EQUIPMENT ROOM PER ACOUSTIC CONSULTANTS



These documents are the property of Becken & Gilliam Architects. Any unauthorized use without the written consent is prohibited by law.

**BACKEN & BACKEN**  
ARCHITECTURE | LIFETIME | WELLBEING

MONTICELLO LOS ANGELES SAINT HELENA SACRAMENTO  
1021 MAIN STREET ST. HELENA, CALIF. 95758  
TELEPHONE 307.607.9026 FACSIMILE 307.607.9024

THE KENWOOD RANCH  
WINERY


1180 CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

[illegible]


WINERY  
WASTEWATER  
SHED  
SECTIONS

AS NOTED

A3.91



**A LANDSCAPE KEYPLAN**



## LIGHTING CONTROL & ELECTRICAL LEGEND

| SYMBOL   | DESCRIPTION                                                                                                                                                                                                                                                                                                                      |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| [Symbol] | LIGHTING KEYPAD - SINGLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                             |
| [Symbol] | LIGHTING KEYPAD - DOUBLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                             |
| [Symbol] | LIGHTING KEYPAD - TRIPLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                             |
| [Symbol] | LIGHTING KEYPAD - ANTI-TITIME<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                             |
| [Symbol] | LIGHTING TABLE TOP KEYPAD<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                                 |
| [Symbol] | WALL MOUNTED SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                              |
| [Symbol] | WALL MOUNTED 3-WAY SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                        |
| [Symbol] | WALL MOUNTED DIMMER (DIMMING)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                             |
| [Symbol] | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/STYLE/FINISH TBD                                                                                                                                                                                                                                                                |
| [Symbol] | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                                                                                   |
| [Symbol] | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                                                                                            |
| [Symbol] | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                 |
| [Symbol] | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                 |
| [Symbol] | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                |
| [Symbol] | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                |
| [Symbol] | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                                                                                     |
| [Symbol] | EXHAUST FAN, PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                                                                                |
| [Symbol] | LIGHT FEATURE SYMBOL - SHAPE VARIES (ROUND, SQUARE, ETC.)<br>LIGHT FEATURE TYPE TAG (P, L, J, D, ETC.)<br>LIGHT FEATURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER 1/8, 1/2, 1/3, ETC. - LIGHTING LOCATED ON CONTROL SYSTEM<br>LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

### GENERAL NOTES

- FOR DECORATIVE FEATURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED, SEE DRAWINGS FOR ZONING AND CONTROLS.
- ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
- ALL DECORATIVE SCENE/LOCATION/HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER, REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT, SEE DRAWINGS FOR ZONING AND CONTROLS.
- ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
- EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER, REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV-APPROPRIATE DIMMER.


### CONTROL SYSTEM NOTES

- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM INSTALLER/ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANY/ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCE LIGHTING CONTROL SYSTEM KEYPAD, WALL DIMMER AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
- WHERE KEYPAD, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
- SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTION) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS, (TYPICALLY PROVIDED IN CD FOLDER).
- REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
- FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER, REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

### NOTES REGARDING CALIFORNIA TITLE 24 (2019) COMPLIANCE

- GENERAL
  - ALL LIGHTING TO BE HIGH EFFICACY (LAMP COMPLIANT LAMPS AND/OR LUMINAIRES)
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - PHOTOCELL & MOTION SENSOR
    - PHOTOCELL AND TIME SWITCH
    - ASTRONOMICAL TIME CLOCK
    - EMERGENCY FEATURES OF ASTRONOMICAL TIME CLOCK

## Landscape Key-Plan



**BLLD**  
481 Second Street, #609  
San Francisco, CA 94107  
P: (415) 616-0805

The work contained in this document is the property of BLLD and is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of BLLD.


**KENWOOD RANCH - WINERY**  
CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

1/2/2021 DESIGN REVIEW  
1/24/2021 DESIGN REVIEW  
07/06/2021 DRC 24/07/2021

Flow 01  
Drawn BS  
Checked JB  
Scale 1/8"=1'-0"


Landscape  
Lighting Layout  
**LP.01A**





| LIGHTING CONTROL & ELECTRICAL LEGEND |                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYMBOL                               | DESCRIPTION                                                                                                                                                                                                                                                                                                                    |
| [Symbol]                             | LIGHTING KEYPAD - SINGLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - DOUBLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - TRIPLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - ANTI-TWINK<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                            |
| [Symbol]                             | LIGHTING TABLE TOP KEYPAD<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
| [Symbol]                             | WALL MOUNTED SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                            |
| [Symbol]                             | WALL MOUNTED 3-WAY SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                      |
| [Symbol]                             | WALL MOUNTED DIMMER (DIMMING)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | WALL MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/STYLE/FINISH TBD                                                                                                                                                                                                                                                                 |
| [Symbol]                             | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                                                                                 |
| [Symbol]                             | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                                                                                          |
| [Symbol]                             | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                               |
| [Symbol]                             | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                               |
| [Symbol]                             | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                              |
| [Symbol]                             | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                              |
| [Symbol]                             | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                                                                                   |
| [Symbol]                             | FAN<br>ZONE                                                                                                                                                                                                                                                                                                                    |
| [Symbol]                             | EXHAUST FAN, PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                                                                              |
| [Symbol]                             | LIGHT FEATURE SYMBOL - SHAPE VARIES (ROUND, SQUARE, ETC.)<br>LIGHT FEATURE TAG (TAG: L1, L2, ETC.)<br>LIGHT FEATURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER: 101, 102, 103, ETC. - LIGHTING LOCATED ON CONTROL SYSTEM<br>LETTER: A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

- GENERAL NOTES**
- FOR DECORATIVE FEATURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ACTUAL LOCATION OF FLOORWALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
  - ALL DECORATIVE SCENE LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE IF SHOWN IN CLOSE PROXIMITY.
  - EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV APPROPRIATE DIMMER.
- CONTROL SYSTEM NOTES**
- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM INSTALLER (ELECTRICAL CONTRACTOR AND/OR ENGINEER) TO VERIFY SYSTEM AND PROVIDE ANY ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
  - PLAN REFINISHED LIGHTING CONTROL SYSTEM KEYPAD, WALL DIMMER AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
  - WHERE KEYPAD, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
  - SEE LIGHTING PROGRAMMING (FOR SYSTEM FUNCTION) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS, (TYPICALLY PROVIDED IN CD FOLDER).
  - REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
  - FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.
- NOTES REGARDING CALIFORNIA TITLE 24 (2019) COMPLIANCE**
- GENERAL**
    - ALL LIGHTING TO BE HIGH EFFICIENCY (AA COMPLIANT LAMPS AND/OR LUMINAIRES).
    - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
    - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
    - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.
    - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
      - PHOTOCELL & MOTION SENSOR
      - PHOTOCELL AND TIME SWITCH
      - ASTRONOMICAL TIME CLOCK
      - EMERGENCY FEATURES OF ASTRONOMICAL TIME CLOCK



**BLLD**

481 Second Street, #609  
San Francisco, CA 94107  
P: (415) 616-0865

The work contained herein is the property of BLLD and shall not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of BLLD.

**KENWOOD RANCH - WINERY**

CAMPAGNA LANE

KENWOOD, CALIFORNIA 95409

1/20/2021 DESIGN REVIEW

1/24/2021 DESIGN REVIEW

07/06/2021 DMC D4/REV003

Flow 01

Drawn BA


Checked JB

Scale 1/8"=1'-0"

Landscape Lighting Layout

**LP.01B**





| LIGHTING CONTROL & ELECTRICAL LEGEND |                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYMBOL                               | DESCRIPTION                                                                                                                                                                                                                                                                                                                |
| [Symbol]                             | LIGHTING KEYPAD-SINGLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                         |
| [Symbol]                             | LIGHTING KEYPAD-DOUBLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                         |
| [Symbol]                             | LIGHTING KEYPAD-TRIPLE GANG<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                         |
| [Symbol]                             | LIGHTING KEYPAD-ANALOG DIMMER<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                       |
| [Symbol]                             | LIGHTING TABLE TOP KEYPAD<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | WALL MOUNTED SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                        |
| [Symbol]                             | WALL MOUNTED 3-WAY SWITCH (ON/OFF)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                  |
| [Symbol]                             | WALL MOUNTED DIMMER (DIMMING)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                       |
| [Symbol]                             | WALL MOUNTED 3-WAY DIMMER (DIMMING)<br>STYLE/FINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                 |
| [Symbol]                             | WALL MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/STYLE/FINISH TBD                                                                                                                                                                                                                                                             |
| [Symbol]                             | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                                                                             |
| [Symbol]                             | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                                                                                      |
| [Symbol]                             | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                           |
| [Symbol]                             | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                           |
| [Symbol]                             | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                          |
| [Symbol]                             | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                          |
| [Symbol]                             | STRUCTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                                                                                  |
| [Symbol]                             | EXHAUST FAN, PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                                                                          |
| [Symbol]                             | LIGHT FEATURE SYMBOL-SHAPE VARIES (ROUND, SQUARE, ETC.)<br>LIGHT FEATURE TYPE TAG (P, L, L1, L2, ETC.)<br>LIGHT FEATURE CONTROL ZONE TAG-TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER 1/8, 1/2, 1/3, ETC.-LIGHTING LOCATED ON CONTROL SYSTEM<br>LETTER A, B, S, ETC.-LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

**GENERAL NOTES**


- FOR DECORATIVE FEATURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
- ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
- ALL DECORATIVE SCENE LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR CONTROLS.
- ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.
- ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
- EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV APPROPRIATE DIMMER.

**CONTROL SYSTEM NOTES**

- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM INSTALLER/ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANY ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCE LIGHTING CONTROL SYSTEM KEYPAD, WALL DIMMER AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
- WHERE KEYPAD, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
- SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTION) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS, (TYPICALLY PROVIDED IN CDD FRAMES). REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
- FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

**NOTES REGARDING CALIFORNIA TITLE 24 (2019) COMPLIANCE**

- GENERAL**
  - ALL LIGHTING TO BE HIGH EFFICIENCY (EPA COMPLIANT LAMPS AND/OR LUMINAIRES)
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - PHOTOCELL AND TIME SWITCH
    - ASTRONOMICAL TIME CLOCK
    - EMERGENCY FEATURES OF ASTRONOMICAL TIME CLOCK



481 Second Street, 8009  
San Francisco, CA 94107  
P: (415) 616-0805


The work contained herein represents the design of the project and is not to be used for any other project without the written consent of the designer. The designer assumes no responsibility for the quality of the work or the safety of the project.

**KENWOOD RANCH - WINERY**  
CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

|          |               |
|----------|---------------|
| 12/25/21 | DESIGN REVIEW |
| 03/04/22 | DESIGN REVIEW |
| 07/06/22 | DOC DRAFTING  |

Flow: 01  
Drawn: BA  
Checked: JB  
Scale: 1/8"=1'-0"

Landscape Lighting Layout  
**LP.01C**



### LIGHTING CONTROL & ELECTRICAL LEGEND

| SYMBOL   | DESCRIPTION                                                                                                                                                                                                                                                   |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| [Symbol] | LIGHTING KEYPAD - SINGLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
| [Symbol] | LIGHTING KEYPAD - DOUBLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
| [Symbol] | LIGHTING KEYPAD - TRIPLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
| [Symbol] | LIGHTING KEYPAD - ANTI-TAMPER<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
| [Symbol] | LIGHTING TABLE TOP KEYPAD<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                               |
| [Symbol] | WALL MOUNTED SWITCH (ON/OFF)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                            |
| [Symbol] | WALL MOUNTED 3-WAY SWITCH (ON/OFF)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                      |
| [Symbol] | WALL MOUNTED DIMMER (DIMMING)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
| [Symbol] | WALL MOUNTED 3-WAY DIMMER (DIMMING)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                     |
| [Symbol] | WALL MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPESTYLEFINISH TBD                                                                                                                                                                                                  |
| [Symbol] | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                |
| [Symbol] | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                         |
| [Symbol] | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                              |
| [Symbol] | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                              |
| [Symbol] | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                             |
| [Symbol] | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                             |
| [Symbol] | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                  |
| [Symbol] | EXHAUST FAN, PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL, COORDINATION PURPOSES ONLY)                                                                                                                                                                            |
| [Symbol] | LIGHT FEATURE SYMBOL - SHAPE VARIES (ROUND, SQUARE, ETC.)<br>LIGHT FEATURE TYPE TAG (P, L, L, D, ETC.)<br>LIGHT FEATURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>LETTER A, B, S, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

**GENERAL NOTES**


- FOR DECORATIVE FEATURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DIMMERS FOR ZONING AND CONTROLS.
- ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
- ALL DECORATIVE SCENE LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DIMMERS FOR ZONING AND CONTROLS.
- ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
- EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV APPROPRIATE DIMMER.

**CONTROL SYSTEM NOTES**

- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM INSTALLER/ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANY ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCE LIGHTING CONTROL SYSTEM KEYPAD, WALL DIMMER AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
- WHERE KEYPAD, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
- SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTION) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS, (TYPICALLY PROVIDED IN CD FRAMES).
- REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
- FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

**NOTES REGARDING CALIFORNIA TITLE 24 (2019) COMPLIANCE**

- GENERAL**
  - ALL LIGHTING TO BE HIGH EFFICACY (AA COMPLIANT LAMPS AND/OR LUMINAIRES)
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - PHOTOCELL AND TIME SWITCH
    - ASTRONOMICAL TIME CLOCK
    - EMERGENCY FEATURES OF ASTRONOMICAL TIME CLOCK



481 Second Street #609  
San Francisco, CA 94107  
P: (415) 616-0865

The work contained herein represents a conceptual design and is not intended to be used for construction without the approval of the appropriate regulatory agencies. No warranty is made by BLLD regarding the accuracy or completeness of the information contained herein.

**KENWOOD RANCH - WINERY**  
CAMPAGNA LANE  
KENWOOD, CALIFORNIA 94508

12/25/21 DESIGN REVIEW  
12/14/22 DESIGN REVIEW  
07/26/23 DMC DATE REVISIONS

|       |            |
|-------|------------|
| Flow  | B1         |
| Dikes | B6         |
| Check | B6         |
| Scale | 1/8"=1'-0" |

Landscape Lighting Layout  
**LP.01D**



| LIGHTING CONTROL & ELECTRICAL LEGEND |                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SYMBOL                               | DESCRIPTION                                                                                                                                                                                                                                                                                                                   |
| [Symbol]                             | LIGHTING KEYPAD - SINGLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - DOUBLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - TRIPLE GANG<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING KEYPAD - ANTI-TAMPER<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | LIGHTING TABLE TOP KEYPAD<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
| [Symbol]                             | WALL MOUNTED SWITCH (ON/OFF)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                            |
| [Symbol]                             | WALL MOUNTED 3-WAY SWITCH (ON/OFF)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                      |
| [Symbol]                             | WALL MOUNTED DIMMER (DIMMING)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                           |
| [Symbol]                             | WALL MOUNTED 3-WAY DIMMER (DIMMING)<br>STYLEFINISH TBD, REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                     |
| [Symbol]                             | WALL MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE:STYLEFINISH TBD                                                                                                                                                                                                                                                                 |
| [Symbol]                             | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                                                                                |
| [Symbol]                             | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                                                                                         |
| [Symbol]                             | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                              |
| [Symbol]                             | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                              |
| [Symbol]                             | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                             |
| [Symbol]                             | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                             |
| [Symbol]                             | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                                                                                  |
| [Symbol]                             | EXHAUST FAN, PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                                                                             |
| [Symbol]                             | LIGHT FEATURE SYMBOL - SHAPE VARIES (ROUND, SQUARE, ETC.)<br>LIGHT FEATURE TYPE TAG (P, L, D, ETC.)<br>LIGHT FEATURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER 1/1, 1/2, 1/3, ETC. - LIGHTING LOCATED ON CONTROL SYSTEM<br>LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

**GENERAL NOTES**


- FOR DECORATIVE FEATURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED, SEE DRAWINGS FOR ZONING AND CONTROLS.
- ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
- ALL DECORATIVE SCENE LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER, REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT, SEE DRAWINGS FOR ZONING AND CONTROLS.
- ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
- EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER, REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
- WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV APPROPRIATE DIMMER.

**CONTROL SYSTEM NOTES**

- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM MASTER ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANY ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN PROVIDED LIGHTING CONTROL SYSTEM KEYPAD, WALL DIMMER AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
- WHERE KEYPAD, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
- SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTION) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS, (TYPICALLY PROVIDED IN CD FOLDER).
- REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
- FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER, REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

**NOTES REGARDING CALIFORNIA TITLE 24 (2019) COMPLIANCE**

- GENERAL**
  - ALL LIGHTING TO BE HIGH EFFICACY (JAN COMPLIANT LAMPS AND/OR LUMINAIRES)
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - \*PHOTOCELL AND TIME SWITCH
    - \*ASTRONOMICAL TIME CLOCK
    - \*EMCS WITH FEATURES OF ASTRONOMICAL TIME CLOCK



481 Second Street, #809  
San Francisco, CA 94107  
P: (415) 616 - 0855

The work contained herein represents the design of the project as shown on the drawings and is not intended to be a construction document. It is the responsibility of the client to ensure that the design is properly implemented and that all necessary permits are obtained. The design is not intended to be a construction document.

**KENWOOD RANCH - WINERY**  
CAMPAGNA LANE  
KENWOOD, CALIFORNIA 95409

1/2/2021 DESIGN REVIEW  
10/14/22 DESIGN REVIEW/1  
07/06/22 DRC 24/10/23

Flow 01  
Drawn BA  
Checked JB  
Scale 1/8"=1'-0"

Landscape Lighting Layout  
**LP.01E**







## LIGHTING CONTROL &amp; ELECTRICAL LEGEND

| SYMBOL | DESCRIPTION                                                               |
|--------|---------------------------------------------------------------------------|
|        | LIGHTING KEYPAD - SINGLE GANG                                             |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - DOUBLE GANG                                             |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - TRIPLE GANG                                             |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - ARCHITRAVE                                              |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING TABLE TOP KEYPAD                                                 |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | WALL MOUNTED SWITCH (ON/OFF)                                              |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | WALL MOUNTED 3-WAY SWITCH (ON/OFF)                                        |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | WALL MOUNTED DIMMER (DIMMING)                                             |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | WALL MOUNTED 3-WAY DIMMER (DIMMING)                                       |
|        | STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR                                  |
|        | TYPE/ST. LIFESPAN TBD                                                     |
|        | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                            |
|        | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                     |
|        | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)          |
|        | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)          |
|        | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)         |
|        | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)         |
|        | ARCHITECTURAL LIGHTING DETAIL TAG                                         |
|        | NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE                     |
|        | DETAIL TAG PROVIDED BY OTHERS                                             |
|        | (SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                            |
|        | LIGHT FUTURE SYMBOL: "SWITCH" (SWITCHING SCHEME, ETC.)                    |
|        | LIGHT FUTURE CONTROL SCHEME TAG: TWO TYPES (ON SYSTEM & LOCAL CONTROL)    |
|        | NUMBER 101, 102, 103, ETC. - LIGHTING IS LOCATED ON CONTROL SYSTEM        |
|        | LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

- GENERAL NOTES:
- PORT/DECORATIVE FIXTURES DENOTED "D". ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ACTUAL LOCATION OF FLOOR/WALL RECEPTABLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
  - ALL DECORATIVE SCENES, LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ALL KEYPADS/DIMMERS/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
  - EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV-APPROPRIATE DIMMER.
- CONTROL SYSTEM NOTES:
- CONTROL SYSTEM DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM/INSTALLER ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANIMAL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCED LIGHTING CONTROL SYSTEM KEYPADS, WALL DIMMERS AND SWITCHES (SELECT SWITCHES ONLY TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM).
  - WHERE KEYPADS, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
  - SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTIONS) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS. (TYPICALLY PROVIDED IN CD PHASE).
  - REFER TO PLANS FOR FLOOR AND WALL RECEPTABLES LOCATED ON LIGHTING CONTROL SYSTEM.
  - FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULES FOR ZONING AND CONTROL INFORMATION.

## NOTES REGARDING CALIFORNIA TITLE 24 (2015) COMPLIANCE

- GENERAL:
  - RETROFITTING TO BE HIGH EFFICACY (JAM COMPLIANT LAMPS AND/OR LUMINAIRES).
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - PHOTOCELL & MOTION SENSOR
    - PHOTOCELL AND TIME SWITCH
    - ASTRONOMICAL TIME CLOCK
    - EMCS W/ FEATURES OF ASTRONOMICAL TIME CLOCK.

## Landscape Key-Plan



02/2021 DESIGN REVIEW  
03/16/21 DESIGN REVIEW R1  
01/06/22 DRC DRAWINGS

Plan 01  
Draw BA  
Checked JH  
Scale 1/8\"/>

Landscape  
Lighting Layout  
**LP.01G**

## LIGHTING CONTROL &amp; ELECTRICAL LEGEND

| SYMBOL | DESCRIPTION                                                                                                                                                                                                                                                                                                                        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | LIGHTING KEYPAD - SINGLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
|        | LIGHTING KEYPAD - DOUBLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
|        | LIGHTING KEYPAD - TRIPLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
|        | LIGHTING KEYPAD - ARCHITRAVE<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                                |
|        | LIGHTING TABLE TOP KEYPAD<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                                   |
|        | WALL MOUNTED SWITCH (ON/OFF)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                                |
|        | WALL MOUNTED 4-WAY SWITCH (ON/OFF)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                          |
|        | WALL MOUNTED DIMMER (DIMMING)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                               |
|        | WALL MOUNTED 3-WAY DIMMER (DIMMING)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                                                                         |
|        | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/ST. LIFEFINISH TBD.                                                                                                                                                                                                                                                               |
|        | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                                                                                     |
|        | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                                                                                              |
|        | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                   |
|        | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                   |
|        | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                  |
|        | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                                                                                  |
|        | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)                                                                                                                                                                                                                                       |
|        | EXHAUST FAN PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                                                                                   |
|        | LIGHT FIXTURE SYMBOL - SHOWN FOR SCENE/SCENE (SCENE, ETC.)<br>LIGHT FUTURE TYPE TAG (F1, L1, D1, ETC.)<br>LIGHT FUTURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER 101, 102, 103, ETC. - LIGHTING IS LOCATED ON CONTROL SYSTEM<br>LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |


- GENERAL NOTES:
- PORT/DECORATIVE FIXTURES DENOTED "D". ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
  - ALL DECORATIVE SCENES, LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ALL KEYPAD/DIMMER/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
  - EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV-APPROPRIATE DIMMER.

- CONTROL SYSTEM NOTES:
- CONTROL SYSTEM DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM/INSTALLER/ELECTRICIAN CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANY/ALL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCED LIGHTING CONTROL SYSTEM KEYPADS, WALL DIMMERS AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
  - WHERE KEYPADS, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
  - SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTIONS) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS. (TYPICALLY PROVIDED IN CD PHASE).
  - REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
  - FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULES FOR ZONING AND CONTROL INFORMATION.

## NOTES REGARDING CALIFORNIA TITLE 24 (2015) COMPLIANCE

- GENERAL:
- RETROFITTING TO BE HIGH EFFICACY (JAM COMPLIANT LAMPS AND/OR LUMINAIRES).
  - MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
  - OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.
  - EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - \*PHOTOCELL & MOTION SENSOR
    - \*PHOTOCELL AND TIME SWITCH
    - \*ASTRONOMICAL TIME CLOCK
    - \*EMCS W/ FEATURES OF ASTRONOMICAL TIME CLOCK.

## Landscape Key-Plan

03/2021 DESIGN REVIEW  
03/16/21 DESIGN REVIEW R1  
01/06/20 ORC DRAWINGSFloor 01  
Drawn BA  
Checked JH  
Scale 1/8"=1'-0"Landscape  
Lighting Layout  
LP.01H



## LIGHTING CONTROL &amp; ELECTRICAL LEGEND

| SYMBOL | DESCRIPTION                                                                                                                                                                                                                                                         |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | LIGHTING KEYPAD - SINGLE GANG<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                 |
|        | LIGHTING KEYPAD - DOUBLE GANG<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                 |
|        | LIGHTING KEYPAD - TRIPLE GANG<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                 |
|        | LIGHTING KEYPAD - ARCHITRAVE<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                  |
|        | LIGHTING TABLE TOP KEYPAD<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                     |
|        | WALL MOUNTED SWITCH (ON/OFF)<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                  |
|        | WALL MOUNTED 4-WAY SWITCH (ON/OFF)<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                            |
|        | WALL MOUNTED DIMMER (DIMMING)<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                                 |
|        | WALL MOUNTED 4-WAY DIMMER (DIMMING)<br>STYLEFINISH TBS. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION                                                                                                                                                           |
|        | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/ST. L'EFINISH TBS.                                                                                                                                                                                                 |
|        | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                                                                                                                                                                                      |
|        | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                                                                                                                                                                               |
|        | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                    |
|        | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                    |
|        | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                   |
|        | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                                                                                                                                                                                   |
|        | ARCHITECTURAL LIGHTING DETAIL TAG<br>NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE                                                                                                                                                                          |
|        | EXHAUST FAN PROVIDED BY OTHERS<br>(SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                                                                                                                                                                                    |
|        | LIGHT FIXTURE TYPE TAG (P, L, D, ETC.)<br>LIGHT FIXTURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)<br>NUMBER 101, 102, 103, ETC. - LIGHTING IS LOCATED ON CONTROL SYSTEM<br>LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |


- GENERAL NOTES:
1. PORT DECORATIVE FIXTURES DENOTED "D". ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
  2. ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
  3. ALL DECORATIVE SCENES, LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  4. ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.
  5. ALL KEYPADS/DIMMERS/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
  6. EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  7. WHEN MLV AND INC LOADS ARE WIRED TOGETHER, USE MLV-APPROPRIATE DIMMER.

- CONTROL SYSTEM NOTES:
- CONTROL SYSTEM DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM/INSTALLER/ELECTRICIAN/CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANNUAL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
1. PLAN REFERENCED LIGHTING CONTROL SYSTEM KEYPADS, WALL DIMMERS AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
  2. WHERE KEYPADS, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
  3. SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTIONS) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS. (TYPICALLY PROVIDED IN CD PHASE).
  4. REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
  5. FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULES FOR ZONING AND CONTROL INFORMATION.

## NOTES REGARDING CALIFORNIA TITLE 24 (2015) COMPLIANCE

- GENERAL:
- \* RETROFITTING TO BE HIGH EFFICACY (JAN COMPLIANT LAMPS AND/OR LUMINAIRES)
  - \* MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES
  - \* OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
  - \* EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.
  - \* EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
    - \* PHOTOCELL & MOTION SENSOR
    - \* PHOTOCELL AND TIME SWITCH
    - \* ASTRONOMICAL TIME CLOCK
    - \* EMCS W/ FEATURES OF ASTRONOMICAL TIME CLOCK.

## Landscape Key-Plan



05/2021 DESIGN REVIEW  
05/16/21 DESIGN REVIEW R1  
01/06/20 DRC DRAWINGS

Drawn BY  
Checked JH  
Scale 1/8"=1'-0"

Landscape  
Lighting Layout  
**LP.01I**

## LIGHTING CONTROL &amp; ELECTRICAL LEGEND

| SYMBOL | DESCRIPTION                                                               |
|--------|---------------------------------------------------------------------------|
|        | LIGHTING KEYPAD - SINGLE GANG                                             |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | LIGHTING KEYPAD - DOUBLE GANG                                             |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | LIGHTING KEYPAD - TRIPLE GANG                                             |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | LIGHTING KEYPAD - ARCHITRAVE                                              |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | LIGHTING TABLE TOP KEYPAD                                                 |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | WALL MOUNTED SWITCH (ON/OFF)                                              |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | WALL MOUNTED 4-WAY SWITCH (ON/OFF)                                        |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | WALL MOUNTED DIMMER (DIMMING)                                             |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | WALL MOUNTED 3-WAY DIMMER (DIMMING)                                       |
|        | STYLEFINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR                                  |
|        | TYPE/ST. LEFINISH TBD                                                     |
|        | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                            |
|        | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                     |
|        | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)          |
|        | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)          |
|        | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)         |
|        | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)         |
|        | ARCHITECTURAL LIGHTING DETAIL TAG                                         |
|        | NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE                     |
|        | EXHAUST FAN PROVIDED BY OTHERS                                            |
|        | (SHOWN FOR CONTROL COORDINATION PURPOSES ONLY)                            |
|        | LIGHT FIXTURE "SYMBOL" - SHOWN FOR ZONING (SCENE, ETC.)                   |
|        | LIGHT FIXTURE TYPE TAG (L1, L1, L1, ETC.)                                 |
|        | LIGHT FIXTURE CONTROL ZONE TAG - TWO TYPES (ON SYSTEM & LOCAL CONTROL)    |
|        | NUMBER 101, 102, 103, ETC. - LIGHTING IS LOCATED ON CONTROL SYSTEM        |
|        | LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH) |

GENERAL NOTES:  
 1. PORT/DECORATIVE FIXTURES DENOTED "D". ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE  
 2. ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.  
 3. ALL DECORATIVE SCENE LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR.  
 4. ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING AND CONTROLS.  
 5. ALL KEYPADS/DIMMERS/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).  
 6. EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.  
 7. WHEN MLY AND NC LOADS ARE WIRED TOGETHER, USE MLY-APPROPRIATE DIMMER.

CONTROL SYSTEM NOTES:  
 1. CONTROL SYSTEM DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM/INSTALLER ELECTRICAL CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANNUAL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.  
 2. PLAN REFERENCED LIGHTING CONTROL SYSTEM KEYPADS, WALL DIMMERS AND SWITCHES (SELECT SWITCHES ONLY TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM). WHERE KEYPADS, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.  
 3. SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTIONS) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS. (TYPICALLY PROVIDED IN CD PHASE).  
 4. REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.  
 5. FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLAN AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

NOTES REGARDING CALIFORNIA TITLE 24 (2015) COMPLIANCE:  
 1. GENERAL:  
 \* RETROFITTING TO BE HIGH EFFICACY (AA COMPLIANT LAMPS AND/OR LUMINAIRES).  
 \* MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.  
 \* OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.  
 \* EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.  
 \* EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:  
 \* PHOTOCELL & MOTION SENSOR  
 \* PHOTOCELL AND TIME SWITCH  
 \* ASTRONOMICAL TIME CLOCK  
 \* EMCS W/ FEATURES OF ASTRONOMICAL TIME CLOCK.

## Landscape Key-Plan





## LIGHTING CONTROL &amp; ELECTRICAL LEGEND

| SYMBOL | DESCRIPTION                                                                                                |
|--------|------------------------------------------------------------------------------------------------------------|
|        | LIGHTING KEYPAD - SINGLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - DOUBLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - TRIPLE GANG<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | LIGHTING KEYPAD - ARCHITRAVE<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | LIGHTING TABLE TOP KEYPAD<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION           |
|        | WALL MOUNTED SWITCH (ON/OFF)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION        |
|        | WALL MOUNTED 4-WAY SWITCH (ON/OFF)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION  |
|        | WALL MOUNTED DIMMER (DIMMING)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION       |
|        | WALL MOUNTED 3-WAY DIMMER (DIMMING)<br>STYLE/FINISH TBD. REFER TO ENGRAVING REPORT FOR FURTHER INFORMATION |
|        | CEILING MOUNTED OCCUPANCY/VACANCY SENSOR<br>TYPE/ST. L/EFINISH TBD                                         |
|        | DOOR JAM SWITCH (CONTACT CLOSURE/LIMIT SWITCH)                                                             |
|        | WALL MOUNTED ON/OFF SWITCH W/ INTEGRAL VACANCY SENSOR                                                      |
|        | HALF HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                           |
|        | FULL HOT WALL MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                           |
|        | HALF HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                          |
|        | FULL HOT FLOOR MOUNTED RECEPTACLE (CONTROLLED VIA CONTROL SYSTEM)                                          |
|        | ARCHITECTURAL LIGHTING DETAIL TAG<br>(NOTES FURTHER INFORMATION LOCATED IN SEPARATE PACKAGE)               |
|        | EXHAUST FAN PROVIDED BY OTHERS<br>(SHOWN FOR COORDINATION PURPOSES ONLY)                                   |
|        | LIGHT FUTURE SYMBOLS: "SHOWN FOR COORDINATION PURPOSES ONLY"                                               |
|        | LIGHT FUTURE TYPE TAG (L1, L1, L1, ETC.)                                                                   |
|        | LIGHT FUTURE CONTROL ZONE TAG: TWO TYPES (ON SYSTEM & LOCAL CONTROL)                                       |
|        | NUMBER 101, 102, 103, ETC. - LIGHTING IS LOCATED ON CONTROL SYSTEM                                         |
|        | LETTER A, B, C, ETC. - LIGHTING IS LOCALLY CONTROLLED ONLY (LOCAL SWITCH)                                  |


- GENERAL NOTES:
- FOR DECORATIVE FIXTURES DENOTED "D", ASSUME ALL LOADS ARE INCANDESCENT UNLESS OTHERWISE NOTED. SEE DRAWINGS FOR ZONING AND CONTROLS.
  - ACTUAL LOCATION OF FLOOR/WALL RECEPTACLES TO BE DETERMINED BY ARCHITECT OR INTERIOR DESIGNER.
  - ALL DECORATIVE SCENES, LOCATIONS & PENDANT HEIGHTS TO BE DETERMINED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - ALL FAN & OCCUPANCY SENSOR LOCATIONS TO BE CONFIRMED BY ARCHITECT. SEE DRAWINGS FOR ZONING & CONTROLS.
  - ALL KEYPADS/DIMMERS/SWITCHES TO BE GANGED TOGETHER UNDER A SINGLE FACEPLATE (IF SHOWN IN CLOSE PROXIMITY).
  - EXACT KEYPAD/DIMMER/SWITCH LOCATIONS TO BE CONFIRMED BY INTERIOR DESIGNER. REFER TO INTERIOR ELEVATIONS FOR MOUNTING LOCATION.
  - WHEN MLY AND INC LOADS ARE WIRED TOGETHER, USE MLY-APPROPRIATE DIMMER.



- CONTROL SYSTEM NOTES:
- CONTROL SYSTEM IS DESIGNED AROUND A LIGHTING CONTROL SYSTEM. LIGHTING CONTROL SYSTEM/INSTALLER/ELECTRICIAN CONTRACTOR AND/OR ENGINEER TO VERIFY SYSTEM AND PROVIDE ANNUAL COMPONENTS FOR PROPER INSTALLATION PER DESIGN INTENT.
- PLAN REFERENCED LIGHTING CONTROL SYSTEM KEYPADS, WALL DIMMERS AND SWITCHES (SELECT SWITCHES ONLY) TO BE WIRED THROUGH LIGHTING CONTROL SYSTEM.
  - WHERE KEYPADS, SWITCHES, ETC. ARE SHOWN IN GROUPS, THEY ARE TO BE COMBINED UNDER ONE FACEPLATE.
  - SEE LIGHTING PRE-PROGRAMMING (FOR SYSTEM FUNCTIONS) AND ENGRAVING REPORT (FOR ALL FINISHES AND KEYPAD BUTTON ENGRAVINGS) FOR FURTHER INFORMATION NOT REFLECTED ON PLANS. (TYPICALLY PROVIDED IN CD PHASE).
  - REFER TO PLANS FOR FLOOR AND WALL RECEPTACLES LOCATED ON LIGHTING CONTROL SYSTEM.
  - FOR ALL OCCUPANCY SENSORS, LOCATIONS TO BE CONFIRMED BY ARCHITECT/INTERIOR DESIGNER. REFER TO PLANS AND LOAD SCHEDULE FOR ZONING AND CONTROL INFORMATION.

## NOTES REGARDING CALIFORNIA TITLE 24 (2015) COMPLIANCE

- GENERAL:
- RETROFITTING TO BE HIGH EFFICACY (JAM COMPLIANT LAMPS AND/OR LUMINAIRES).
- MANUAL ON/OFF CONTROL REQUIRED FOR ALL SPACES.
- OCCUPANCY/VACANCY SENSORS ARE TO BE USED IN BATHROOMS, LAUNDRY ROOMS, UTILITY ROOMS & GARAGES.
- EXHAUST FANS ARE TO BE SWITCHED SEPARATELY FROM LIGHTING.
- EXTERIOR LIGHTING TO BE CONTROLLED BY ONE OF THE FOLLOWING:
- \*PHOTOCELL & MOTION SENSOR
  - \*PHOTOCELL AND TIME SWITCH
  - \*ASTRONOMICAL TIME CLOCK
  - \*EMCS W/ FEATURES OF ASTRONOMICAL TIME CLOCK.

## Landscape Key-Plan

01/2021 DESIGN REVIEW  
01/16/21 DESIGN REVIEW R1  
01/06/21 ORC DRAWINGSFloor 01  
Drawn BA  
Checked JH  
Scale 1/8"=1'-0"Landscape  
Lighting Layout  
LP.01K



**PLACEMENT RULE FAMILY**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L6      |

**TYPE L7 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L7      |

**TYPE L7 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L7      |

**TYPE L7 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L7      |

**TYPE L8 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L8      |

**60 Watt**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L8      |

**TYPE L6 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L6      |

**TYPE L9 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L9      |

**TYPE L9 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L9      |

**TYPE L9 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L9      |

**TYPE L10 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L10     |

**TYPE L11 - 150-01**

| Property  | Value   |
|-----------|---------|
| Luminaire | 150-01  |
| Date      | 01/2021 |
| Type      | L11     |



# L14 MOUNTED AT STACKED STONE FINAL SPEC TBD PENING DESIGN DEVELOPMENT



TYPE L14 Wall Integrated Step Light @ Penning side  
ALD.01  
L14

**IQ-PH** LED PENING Step Light

Product Description: This is a high-quality, energy-efficient LED pening light designed for use in various outdoor settings. It features a durable, weather-resistant housing and a long-lasting LED chip that provides bright, even illumination. The light is easy to install and maintain, making it a perfect choice for homeowners and professionals alike.

Technical Specifications:

- Power: 10W
- Voltage: 120V
- Color Temperature: 3000K
- Beam Angle: 120°
- Material: Aluminum
- Finish: Matte Black

ALD.01 L13

**TORQ** LED PENING Step Light

Product Description: This is a high-quality, energy-efficient LED pening light designed for use in various outdoor settings. It features a durable, weather-resistant housing and a long-lasting LED chip that provides bright, even illumination. The light is easy to install and maintain, making it a perfect choice for homeowners and professionals alike.

Technical Specifications:

- Power: 10W
- Voltage: 120V
- Color Temperature: 3000K
- Beam Angle: 120°
- Material: Aluminum
- Finish: Matte Black

ALD.01 L13

**ALD.04**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.04 L13

**BOND-U-UP**

Product Description: This is a high-quality, energy-efficient LED pening light designed for use in various outdoor settings. It features a durable, weather-resistant housing and a long-lasting LED chip that provides bright, even illumination. The light is easy to install and maintain, making it a perfect choice for homeowners and professionals alike.

Technical Specifications:

- Power: 10W
- Voltage: 120V
- Color Temperature: 3000K
- Beam Angle: 120°
- Material: Aluminum
- Finish: Matte Black

ALD.01 L12

**PLANNING BOARD**

Product Description: This is a high-quality, energy-efficient LED pening light designed for use in various outdoor settings. It features a durable, weather-resistant housing and a long-lasting LED chip that provides bright, even illumination. The light is easy to install and maintain, making it a perfect choice for homeowners and professionals alike.

Technical Specifications:

- Power: 10W
- Voltage: 120V
- Color Temperature: 3000K
- Beam Angle: 120°
- Material: Aluminum
- Finish: Matte Black

ALD.01 L11

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14

**ALD.01**

TYPE L14 Wall Integrated Step Light @ Penning side

ALD.01 L14



[illegible][illegible][illegible]