

ORDINANCE NO. ()

AN ORDINANCE OF THE BOARD OF SUPERVISORS OF THE COUNTY OF SONOMA, STATE OF CALIFORNIA, ADOPTING NEW FEES AND ADJUSTING FEES EFFECTIVE JULY 1, 2023 FOR THE SONOMA COUNTY DEPARTMENT OF HEALTH SERVICES PUBLIC HEALTH LABORATORY

The Board of Supervisors of the County of Sonoma, State of California, ordains as follows:

Section I. Government Code Section 54985-86, Health and Safety Code Section 101325, and Sonoma County Code Chapter 5 authorize the establishment of new and amended fees to recover the estimated reasonable cost of providing services for the Department of Health Services Public Health Laboratory.

Section II. To recover the reasonable cost of providing services for the Sonoma County Department of Health Services Public Health Laboratory, it is necessary to adjust those fees set forth in Exhibit A attached hereto and incorporated herein as though fully set forth in full, commencing July 1, 2023.

Section III. Based on information presented to the Board, the Board finds that the proposed fees comply with all legal requirements, including Art. XIII C, Section 1(e)(1)-(6) of the California Constitution.

Section IV. In all other respects, Ordinance No. 6375 and any fee modifications established by previous resolutions shall remain in full force and effect.

Section V. If any section, subsection, sentence, clause, or phrase of this ordinance is for any reason held to be unconstitutional or invalid, such decision shall not affect the validity of the remaining portion of this ordinance. The Board of Supervisors hereby declares that it would have passed this ordinance and every section, subsection, sentence, clause or phrase thereof irrespective of the fact that any one or more sections, subsections, sentences, clauses or phrases be declared unconstitutional or invalid.

Section VI. This ordinance shall be and the same is hereby declared to be in full force and effect from and after thirty (30) days after the date of its passage or July 1, 2023, whichever is greater, and shall be published once before the expiration of fifteen (15) days after said passage, with the names of the Supervisors voting for or against the same, in *The Press Democrat*, a newspaper of general circulation published in the County of Sonoma, State of California.

In regular session of the Board of Supervisors of the County of Sonoma, introduced on the 21st day of March 2023, and finally passed and adopted this 4th day of April 2022, on regular roll call of the members of said Board by the following vote:

SUPERVISORS:

Gorin: Rabbitt: Gore: Hopkins: Coursey:

Ayes: Noes: Absent: Abstain:

WHEREUPON, the Chair declared the above and foregoing Ordinance duly adopted and

SO ORDERED.

Chair, Board of Supervisors
County of Sonoma

ATTEST:

Christina Rivera,
Clerk of the Board of Supervisors

Exhibit A - Proposed New Fees and Fee Adjustments

PUBLIC HEALTH DIVISION - PUBLIC HEALTH LABORATORY

Fee Description	FY 23-24 Rate (\$)
16S Gene Sequencing	107.00
Bordetella pertussis/holmesii, RT-PCR	96.00
Chlamydia trachomatis NAAT	72.00
Chlamydia trachomatis/Neisseria gonorrhoeae NAAT	148.00
Dengue Virus detection (Types 1-4), RT-PCR	107.00
Enterovirus, RT-PCR	107.00
General RT-PCR assay	107.00
Herpes Simplex Virus 1&2, RT-PCR	107.00
Influenza A subtyping	96.00
Influenza A/B, RT-PCR	96.00
Influenza B lineage typing	96.00
Measles detection, RT-PCR	107.00
Mumps virus detection, RT-PCR	107.00
Mycoplasma pneumoniae NAA	107.00
Neisseria gonorrhoeae NAAT	72.00
Non-variola Orthopoxvirus, RT-PCR (MPX virus)	110.00
Norovirus detection, RT-PCR	96.00
Shiga Toxin gene detection (STEC), RT-PCR	107.00
Varicella-zoster virus (VZV) detection, RT-PCR	107.00
Zika, Dengue, & Chikungunya virus detection (CDC Trioplex)	107.00
CDC Influenza/SARS-CoV-2 Multiplex PCR	110.00
PerkinElmer SARS-CoV-2, RT-PCR	107.00
QIAstat-Dx 20 Pathogen Respiratory Panel	200.00
Whole Genome Sequencing (SARS-CoV-2)	240.00
Xpert Xpress SARS-CoV-2	110.00
Xpert Xpress SARS-CoV-2/Flu/RSV	107.00
Coliform	34.00
Dairy Line Run	172.00
Direct Microscopic Somatic Cell Count (DMSCC)	34.00
Inhibitory Substance (Delvo or Charm)	34.00
Lab Pasteurization Count	34.00
Standard Plate Count	34.00
Yeast & Mold Count (for frozen yogurt & soft serve)	34.00
Lyme Organism in Ticks with Tick Identification	38.00
Bacterial Culture (Primary Specimen)	45.00
Bacteriology Isolate Identification (Title 17)	44.00
Blood Parasite Smear	102.00
Enteric Culture	52.00
Fungus Culture	56.00

Fee Description	FY 23-24 Rate (\$)
Fungus Identification	58.00
Mycobacteria - Smear and Culture	78.00
Mycobacteria Isolate Identification (Title 17)	44.00
Mycobacterium tuberculosis complex Drug Susceptibility Testing	110.00
Mycobacterium tuberculosis complex RT-PCR with Rifampin	107.00
Salmonella Clearance Culture	44.00
Shigella Clearance Culture	44.00
STEC Clearance Culture	44.00
Hourly microbiologist rate	96.00
NGHA Each additional analyte	37.00
NGHA Each additional location	68.00
NGHA Registration fee	105.00
Shipping & Handling	34.00
Anaplasma phagocytophilum (HGA) IFA	72.00
Babesia duncani (WA1) IFA	72.00
Babesia microti IFA	72.00
Ehrlichia chaffeensis (HME) IFA	72.00
Lyme ELISA IgM/IgG Screen	85.00
Lyme IgG ELISA	85.00
Lyme IgM ELISA	85.00
Quantiferon Gold Plus	82.00
Rickettsia rickettsii IFA	72.00
Rickettsia typhi IFA	72.00
Syphilis – TPPA (Treponemal)	45.00
Syphilis – VDRL (Non-treponemal)	12.00
Syphilis – VDRL (Non-treponemal), Titer	12.00
Rabies Examination	183.00
Colilert Presence/Absence (P/A)	35.00
Colilert Quantitray, diluted 1:10	47.00
Colilert Quantitray, undiluted (E. coli MPN by Quantitray)	47.00
Enterolert Quantitray, diluted 1:10	47.00
Enterolert Quantitray, undiluted	47.00
Multiple Tube Fermentation- 10 Tube (Total Coliform)	83.00
Multiple Tube Fermentation- 15 Tube (Fecal Coliform)	83.00
Multiple Tube Fermentation- 15 Tube (Total Coliform)	83.00
Shellfish Growing Water Multiple Tube Fermentation - 15 Tube (Fecal Coliform)	83.00
Shellfish Meat Fecal Coliforms Multiple Tube Fermentation - 15 Tube	96.00
Shellfish Meat Total Coliform Multiple Tube Fermentation - 15 Tube	96.00
Vibrio parahaemolyticus MTF/PCR	203.00