**1** **PROPOSED SITE PLAN**
1" = 50'-0"

**SITE LEGEND**
REFER TO COVER PAGE FOR ADDITIONAL INFO

- (E) BUILDING/ELEMENT TO REMAIN
- (E) BUILDING/ELEMENT MODERNIZED IN THIS APPLICATION
- (N) BUILDING/ADDITION CONSTRUCTED IN THIS APPLICATION
- (E) GRAVEL PAVING
- (N) ASPHALT PAVING
- LANDSCAPED OR UNPAVED AREAS
- SETBACK LINE
- PROPERTY LINE
- FIRE DEPARTMENT ACCESS
- DEMOLISH, SAW CUT AND/OR REMOVE
- E — ELECTRICAL LINE
- G — GAS LINE
- W — WATER LINE
- SS — SANITARY SEWER
- SD — STORM DRAIN
- IRR — IRRIGATION
- X — FENCE
- FP — FIRE PROTECTION

**ACCESSIBLE ROUTE:**

ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/2" BEVELED AT 1:2 MAX. SLOPE, OR VERTICAL LEVEL CHANGES NOT EXCEEDING 1/4" MAX. AND AT LEAST 48" WIDE. SURFACE IS SLIP RESISTENT, STABLE, FIRM, AND SMOOTH. CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED. ACCESSIBLE PATH OF TRAVEL SHALL BE MAINTAINED FREE OF OVERHANGING OBSTRUCTIONS TO 80" MINIMUM, AND PROTRUDING OBJECTS GREATER THAN 4" PROJECTION FROM WALL AND ABOVE 27" AND LESS THAN 80". ARCHITECT TO VERIFY THAT THERE ARE NO BARRIERS IN THE PATH OF TRAVEL.


Locus
architecture studio

P.O. Box 876
Sonoma, CA
95476

www.locusarchitecturestudio.com
O: 707.809.5550


LICENSED ARCHITECT
RYAN D. HENDERSON
C-30242
REN. 30 APR 2021
STATE OF CALIFORNIA

Revision/ Issue Schedule

| No. | Description | Date |
|---|---|---|
| | | |

**TRV CORP**

**GREENHOUSE PROJECT**

**6095 BODEGA AVENUE**
**PETALUMA, CA 94952**

| | |
|---|---|
| Revision | |
| Start Date | 05.01.18 |
| Drawn by | Author |
| Checked by | Checker |
| Scale | As indicated |
| Print Date | 2/6/2020 10:49:38 AM |

**Attachment 8.**
**Site Plan - Overview**

# A100