

EXHIBIT A

EQUIVALENT SINGLE-FAMILY DWELLING BILLING UNIT FOR SOUTH PARK CSD

Use Category	Billing Basis			2020-2021	
	Flow	BOD	TSS	Use	ESD
	gallons	mg/l	mg/l		
Residential					
Single-Family	233	237	237	connections	1.00
Condominium (Over 900 square ft)	233	237	237	dwelling units	1.00
Condominium (Under 900 square ft)	186.4	237	237	dwelling units	0.80
Multiple-Family (Apts,Duplex/Triplex)	186.4	237	237	dwelling units	0.80
Mobile home park	186.4	237	237	spaces	0.80
Mobile home (Individual)	186.4	237	237	units	0.80
JADU	-	237	237	units	0.00
ADU, under 751 sq ft*	93.2	237	237	units	0.40
ADU, 751-900 sq ft*	186.4	237	237	units	0.80
ADU, over 900 sq ft*	233	237	237	units	1.00
Commercial					
Appliance repair	190	200	200	1,000 sq. ft.	0.73
Art gallery	190	200	200	1,000 sq. ft.	0.73
Auto dealers					
With service facilities	190	180	280	connection	0.80
With service facilities	38	180	280	add per service bay	0.16
Without service facilities	190	200	200	connection	0.73
Auto repair	38	248	248	per service bay	0.17
Bakery	190	1000	600	1,000 sq. ft.	2.09
Beer Making/Brewery				see note 1 below	
Butcher				see note 1 below	
Banks & financial institutions	190	130	80	1,000 sq. ft.	0.52
Barber shop	19	130	80	per chair	0.05
Beauty shop	38	130	80	per chair	0.10
Bars & taverns	20	200	200	per seat	0.08
Car washes, self service	190	20	150	per stall	0.47
Camp ground or RV park					
with hookups	125	200	200	site	0.48
without hookups	75	200	200	site	0.29
Cannabis production/manufacturing				see note 1 below	
Car washes					
manual	190	20	150	per bay	0.47
automatic	125	174	174	per bay	0.44
Cheese Maker				see note 1 below	
Churches, hall & lodges	2	200	200	per seat	0.01
Coffee shops with some food service	6	1000	600	per seat	0.07
Dry cleaners	285	150	110	1,000 sq. ft.	0.86
Fire stations	190	200	200	1,000 sq. ft.	0.73
with sleeping quarters and kitchens	220	248	248	1,000 sq. ft.	0.97
without sleeping quarters and kitchens	190	174	174	1,000 sq. ft.	0.67
Garages	95	180	280	per service bay	0.40
Gas Stations					
with convenience store	70	397	397	1,000 sq. ft.	0.43
without convenience store	38	174	174	1,000 sq. ft.	0.13
Gym					
with shower	400	248	248	1,000 sq. ft.	1.77
without shower	50	174	174	1,000 sq. ft.	0.18
High Tech Medical Manufacturing				see note 1 below	
Hospitals					
Convalescent	125	250	100	per bed	0.44
General	175	250	100	per bed	0.62
Veterinarian	6	250	100	per cage	0.02
Hotels/motels					
without restaurant	100	310	120	sleeping rooms	0.40
B&B/Online Rentals/Vacation Rental homes	100	248	248	per occupant	0.44
Hydroponic Cultivation (including cannabis)	1.2	174	174	per plant	0.00
Laundromats					
High efficiency washers	250	174	174	washing machines	0.88
Regular washers	500	150	110	washing machines	1.51
Library	190	200	200	1,000 sq. ft.	0.73
Machine shops	152	180	280	1,000 sq. ft.	0.64
Markets	38	800	800	1,000 sq. ft.	0.42
Nail Salon	10	174	174	per seat	0.04
Offices					
Business	76	130	80	1,000 sq. ft.	0.21
Chiropractic Office	190	174	174	Exam. room	0.67
Dental	190	130	80	Exam. room	0.52
Medical (clinic)					
with central handwashing stations	175	248	248	Exam. room	0.77
with office, surgery, lab and treatment rooms	190	248	248	Exam. room	0.84
offices with sink	125	248	248	Exam. room	0.55
offices without sink	100	248	248	Exam. room	0.44
Veterinarian					
with office, surgery, and treatment rooms	130	248	248	Exam. room	0.58

EXHIBIT A

EQUIVALENT SINGLE-FAMILY DWELLING BILLING UNIT FOR SOUTH PARK CSD

Use Category	Billing Basis			2020-2021	
	Flow gallons	BOD mg/l	TSS mg/l	Use	ESD
Pet Groomers	260	174	174	1,000 sq. ft.	0.92
Post office	190	130	80	1,000 sq. ft.	0.52
Resort	see note 1 below				
Restaurants	see note 1 below				
Dine-in	see note 1 below				
With DW & garbage disp.	6	1000	600	per seat	0.07
With DW or garbage disp.	6	619	371	per seat	0.04
Without DW & garbage disp.	6	238	143	per seat	0.02
Take-out	475	238	143	1,000 sq. ft.	1.77
Rest homes	125	250	100	per bed	0.44
Retail stores	38	150	150	1,000 sq. ft.	0.12
Schools	see note 1 below				
Elementary	9	130	100	per student day	0.03
High	14	130	100	per student day	0.04
with entertainment facilities	19	248	248	per student day	0.08
Service stations	380	180	280	set of gas pumps	1.60
	38	180	280	add per service bay	0.16
Shoe repair	190	200	200	1,000 sq. ft.	0.73
Spa with various beauty treatments	38	248	248	per chair	0.17
Supermarkets	76	248	248	1,000 sq. ft.	0.34
Tasting Rooms	see note 1 below				
Ale, Winery (no food)	120	174	174	1,000 sq. ft.	0.42
Ale, Winery (with food)	240	397	397	1,000 sq. ft.	1.49
Theaters	2	200	200	per seat	0.01
Trash Enclosures	see note 1 below				
Warehouse	see note 1 below				
Winery	see note 1 below				
Others as determined by the Engr.	see note 1 below				

ALL COMMERCIAL ESDs TO BE DETERMINED BY THE GENERAL MANAGER USING THE FOLLOWING FORMULA:

$$ESD = (TSS \times FLOW \times 0.33) / (SFD TSS \times SFD FLOW) + (BOD \times FLOW \times 0.33) / (SFD BOD \times SFD FLOW) + (FLOW \times (0.34 / SFD FLOW))$$

Note 1: For non-standard uses, uses and when agreement on a use category cannot be reached, the General Manager, in his or her sole discretion, may
a) base charges on the user's actual or estimated contribution of wastewater into the District's facilities in terms of flow, biological oxygen demand (BOD), and total suspended solids (TSS), and
b) calculate the user's charge using the above Charge Formula. The user shall provide verifiable data, as requested by the General Manager, for the charge to be determined.
Note 2: In general, users with annual average TSS and/or BOD over 1,000 mg/L and users with annual average Flow greater than 5,000 gallons per day should be considered Monitored Users and use the Monitored User Charge Formula.

Definitions	Flow = Gallons per Day	TSS = Total Suspended Solids
	BOD = Biological Oxygen Demand	DW = dishwasher
	ESD = Equivalent Single Family Dwelling	disp. = disposal

* Note that no Capacity Charge is assessed when existing structures are converted in accordance with CGC 65852.2 (e)(1)(A) as determined by the County of Sonoma or the jurisdiction having authority per the Building Code.